
# HP LaserJet Managed MFP E826 Series



### **Product Guide**





Unleash peak productivity



HP WOLF SECURITY

Always on guard with HP Wolf Security<sup>1</sup>



Next-generation Flow technology

# Unleash peak productivity

Now, you can accelerate your print and scan workflows to maximize business productivity, with the HP LaserJet Managed MFP E800 series.

The result: more time for your core business and less time waiting for prints and scans.





### POWERED BY SYSTEM ON A CHIP

With x7 more compute power<sup>2</sup> than previous models, the HP LaserJet Managed MFP E800 series is a powerhouse of speed with all print, copy, scan, security, and other display subsystems integrated into a single chip.



## PRINT OR COPY VIRTUALLY EVERY DOCUMENT AT FULL SPEED

Now, virtually every document can be copied or printed at full-engine speed to meet high-productivity demands. What's more, the automated document feeder (ADF) features HP's Reverse & retry technology<sup>4</sup> so you can continue to work while your scan and copy jobs are running.



### **UP TO 70PPM PRINTING SPEED3**

Meet tight deadlines, save time on everyday printing tasks, and be ready for unexpected multi-print requests. HP delivers the speed needed for maximum productivity.



## FAST SLEEP TO FIRST COPY OUTPUT TIME (FCOT)

Compared to previous generation printers, the HP LaserJet Managed MFP E800 series features accelerated FCOT time so your printer wakes up quickly from sleep mode as soon as you use the touchscreen to deliver your prints or copies faster.



## 10.1-INCH COLOR TOUCHSCREEN DISPLAY

Experience the ultimate in productivity with a vivid and intuitive display that helps make the HP LaserJet Managed MFP E800 series easy to use, no matter how you use your MFP.



# Do more with next-generation Flow technology

Businesses grow and evolve. So should your MFP. The next-generation of HP Flow technology makes that possible. Its cloud-based software provides flexible, customized cloud-connected solutions to help optimize your print and scan workflows; today and as they change in the future.

### REVERSE & RETRY TECHNOLOGY<sup>4</sup>

Innovative Reverse and retry technology<sup>4</sup> detects and resolves double feed issues. Minimizing multifeed errors reduces paper jams and frustration while enhancing workflows.

### ONE SCAN. MULTIPLE DESTINATIONS.

Sending documents to recipients at multiple destinations with multiple delivery requirements? Not a problem. With HP Flow technology, you can scan once and simply manage your files with the color touchscreen for customized delivery options for each recipient – email, fax, SharePoint, and even print a paper copy. HP saves you time and does it all in just one scan operation.

## CUSTOMIZED DIGITAL EDITING OF SCANNED DOCUMENTS

With Flow technology, you can digitally edit and personalize copies of the original using direct manipulation of scanned content at the MFP. Use the 10.1-inch color touchscreen display to edit, markup, redact, and highlight comments for recipients.

### FAST DUPLEX SCANNING

Keep pace with demand for digital documentation with fast 300 ipm<sup>6</sup> duplex scanning and enhanced OCR capabilities. Plus, you can further increase performance with the optional Workflow accelerator card.<sup>5</sup>

### SCAN SMARTER. LOAD AND GO.

Flow's auto-sensing technology feature is your silent digital workflow assistant. Smart auto-sensing does it all, from picking the best image quality based on type (text or photo) and paper tone/color, to detecting two-sided prints, and automatic separation of scan jobs. The result: higher productivity and job management accuracy along with professional-looking prints that make your business look good.

# Designed for impact

Today's workplace is more open and fluid, helping foster collaboration and communication among team members. Your HP printer can play a key role.

Make a visual statement at your workplace with six distinct, easy-to-install color panels<sup>7</sup> to suit your office décor, represent your brand, and energize your space.



# Better printing for a better planet

Save resources with our energy efficient printing that meets EPEAT Gold, Blue Angel, and Energy Star standards, supporting HP's goal for carbon neutrality and a fully sustainable economy.

- SUPPORT ZERO DEFORESTATION<sup>9</sup> The fiber-based packaging, including the outer box and interior fiberbased cushions, for this product is 100% sustainably sourced, meaning it's made from recycled or certified content.
- DESIGNED TO ELIMINATE WASTE<sup>10</sup>- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges with more than 59% recycled cartridge content<sup>11</sup> and 90% recycled packaging content. Printing that puts the planet first.

- BREAKTHROUGH TONER TECHNOLOGY With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.<sup>12</sup>
- REDUCE PAPER WASTE By using HP Pull/Pin printing solutions and duplex print as the default<sup>13</sup> setting, our devices conserve paper wherever possible.
- EXTEND PRODUCT LIFE Our durable modular designs and HP SDS predictive diagnostics help keep our products up and running longer.
- EASY RECYCLING WITH HP PLANET PARTNERS<sup>14</sup> Our sustainable efforts don't stop when you stop printing. With HP Planet Partners, we provide a convenient way to recycle HP IT hardware and supplies after use.



# Always on guard with HP Wolf Security<sup>1</sup>

HP Managed MFPs are the world's most secure printing devices<sup>15</sup> in the industry. They're always on the lookout, continually stopping threats while adapting to new ones. Only HP printers can automatically self-heal from attacks, so IT doesn't need to intervene. For peace of mind, HP Wolf Enterprise Security is included with every HP LaserJet Managed MFP E800 Series so you can feel protected whether you are collaborating, on premise, or via the cloud.

### ALWAYS-ON PROTECTION

- HP Sure Start checks the BIOS/boot code at start up to validate the integrity of the BIOS code
- Memory Shield TM active system monitoring with expanded memory protection from malware injection attacks
- HP Connection Inspector inspects outgoing network connections to stop suspicious requests like malware
- Whitelisting checks firmware during startup to help ensure it's authentic, good code; digitally signed by HP
- Receive instant notification of security issues via leading Security Information and Event Management (SIEM) tools like Splunk, ArcSight, McAfee, and SIEMonster

#### ALWAYS-ON DETECTION


- Protects with zero-day detection of threats
- Prevents malware attacks by ensuring that the execution flow on the device cannot be altered
- Monitors the execution flow for potential zero-day attacks with Control Flow Integrity
- Self-heals and reboots to a safe state of operation when malware is detected
- Detects attacks in runtime memory via an integrated chip that provides hardware-level protection

### **ENTERPRISE-WIDE SECURITY**

HP Security Manager<sup>16</sup> offers an effective, policy-based approach to help secure HP printing and imaging devices. Easily set security configuration policies and automatically validate settings for every HP printer and MFP in your fleet.

# Get to know the HP LaserJet Managed MFP E826 series

### HP LaserJet Managed Flow MFP E826z shown



# Series at a glance

9,000 pages 23

Starter cartridge

	0.02	0.02	0.32
Model	Flow MFP E826z 50ppm	Flow MFP E826z 60ppm	Flow MFP E826z 70ppm
Product number	5QK13A	5QK13A (Base) + 8EP63AAE (Speed license)	5QK13A (Base) + 8EP64AAE (Speed license)
Functions	Print, copy, and scan (fax and wire	less optional) (all models)	
Print speed (A4, letter and black) <sup>3</sup>	Up to 50ppm	Up to 60ppm	Up to 70ppm
Scan speed (A4, letter and black) <sup>6</sup>	150ppm/300ipm, simplex/duplex		
ADF capacity	300 sheets		
Input capacity	Standard: 1,140 sheets; Maximum:	6,140 sheets (all models)	
Advanced workflow features	HP EveryPage technology, <sup>18</sup> full size keyboard, embedded OCR, Reverse and retry, <sup>4</sup> auto orientation, auto-tone, auto page-crop, document editing, auto paper color removal, job separation		
Starter cartridge	9,000 pages <sup>23</sup>	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0.00
Model	MFP E826dn 50ppm	MFP E826dn 60ppm	MFP E826dn 70ppm
Product number	5QK09A	5QK09A (Base) + 8EP63AAE (Speed license)	5QK09A (Base) + 8EP64AAE (Speed license)
Functions	Print, copy, and scan (fax and wireless optional) (all models)		
Print speed (A4, letter and black) <sup>3</sup>	Up to 50ppm	Up to 60ppm	Up to 70ppm
Scan speed (A4, letter and black) <sup>6</sup>	90ppm/180ipm, simplex/duplex		
ADF capacity	200 sheets		
Input capacity	Standard: 1,140 sheets; Maximum:	6,140 sheets (all models)	
Advanced workflow features	No		

# E826z Technical specifications

Functions	Drint converge fav (antinum)			
Print speed <sup>3,19</sup>	Print, copy, scan, fax (optional)	Lin to 50nnm	Un to 60 nore (with 05000 A.F.)	Lin to 70 ppro (with OFFICAAAE)
Print speed."	Letter Black	Up to 50ppm	Up to 60ppm (with 8EP63AAE)	Up to 70ppm (with 8EP64AAE)
	A4 Black	Up to 50ppm	Up to 60ppm (with 8EP63AAE)	Up to 70ppm (with 8EP64AAE)
	First page out Letter Black	As fast as 7.2 sec	As fast as 6.9 sec (with 8EP63AAE)	As fast as 6.8 sec (with 8EP64AAE)
	First page out A4 Black	As fast as 7.2 sec	As fast as 6.9 sec (with 8EP63AAE)	As fast as 6.8 sec (with 8EP64AAE)
Print resolution			0 dpi; <b>Black (fine lines):</b> Up to 1200 x 1200	0 dpi 
Print technology	Laser; Optical: Normal (600 x 600 4 b	it); Best (1200 x 1200 1 bit)		
Print cartridges number	1(black)			
Standard print languages	HP PCL 5e, HP PCL 6, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible			
Printer smart software features	Print preview, duplex printing, print mu	ultiple pages per sheet (2, 4, 6, 9, 16), coll	ation, watermarks, store print jobs, easy-	access USB
Color scanning	Yes			
Scan speed Normal	Up to 150ppm/300ipm (b&w), up to 150	Oppm/300ipm (color) <b>Duplex:</b> Up to 300	lipm (b&w), up to 300ipm (color)	
Scan type / Technology <sup>6</sup>	Flatbed, ADF / Platen Scanner CCD D	igital-CIS		
Scan resolution	Hardware: Up to 600 x 600 dpi; Optic	<b>cal:</b> Up to 600 x 600 dpi		
Scan file format		Compression PDF/A, JPEG, TIFF, MTIFF, X OCR), RTF (OCR), HTML (OCR), CSV (OCR	(PS, PDF (OCR), Hi-Compression PDF (OC )	CR), PDF/A (OCR), Hi-Compression PDF/
Scan input modes	Front panel applications: Copy; Fax; S Workpath applications	can to Email; Scan to Network Folder; S	Scan to USB; Scan to Job Storage; Open E	Extensibility Platform (OXP), HP
Scan size	<b>ADF:</b> 12 x 34 in Maximum; 2.7 x 5 in Mir	nimum; <b>Flatbed:</b> 11.69 x 17 in		
Scanner advanced features	Embedded OCR; optimize text/picture (auto); scan to multi-destination; automatic tone; auto-orientation; multi-feed detection; reverse and retry; document editing; auto paper color removal; job separation (blank page, barcode); watermark; stamps			
Duplex ADF scanning	Yes			
ADF capacity	Standard, 300 sheets			
Twain version	Version 2.4			
Bit depth / Grayscale levels	24-bit/256			
Digital sending standard	Scan to e-mail; save-to-network folder; save-to-USB drive; send to Sharepoint; send to FTP; send to sFTP; send to LAN fax; send to Internet Fax; local address book; SMTP over SSL; auto color sense; compact PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (auto, text, mixed, printed picture, photograph); content orientation; ID scan; job build; watermark; stamps; book mode scans; erase edges; image preview; blank page suppression; scan to multi-destination, embedded OCR; auto-tone, auto-orientation, auto-page-crop; multi-feed detection; reverse and retry; document editing; auto paper color removal; job separation; automatically straighten			
features	book; SMTP over SSL; auto color sens (auto, text, mixed, printed picture, phot blank page suppression; scan to mult	se; compact PDF; image adjustments (d tograph); content orientation; ID scan; jc i-destination, embedded OCR; auto-ton	arkness, contrast, background cleanup, s bb build; watermark; stamps; book mode ie, auto-orientation, auto¬page-crop; mul	sharpness); optimized text/picture scans; erase edges; image preview;
	book; SMTP over SSL; auto color sens (auto, text, mixed, printed picture, phot blank page suppression; scan to mult	se; compact PDF; image adjustments (d tograph); content orientation; ID scan; jc i-destination, embedded OCR; auto-ton	arkness, contrast, background cleanup, s bb build; watermark; stamps; book mode ie, auto-orientation, auto¬page-crop; mul	sharpness); optimized text/picture scans; erase edges; image preview;
features	book; SMTP over SSL; auto color sens (auto, text, mixed, printed picture, phot blank page suppression; scan to mult document editing; auto paper color re	se; compact PDF; image adjustments (d tograph); content orientation; ID scan; ic i-destination, embedded OCR; auto-ton emoval; job separation; automatically st	arkness, contrast, background cleanup, s ob build; watermark; stamps; book mode ,e, auto-orientation, auto-page-crop; mul rraighten	sharpness); optimized text/picture scans; erase edges; image preview; ti-feed detection; reverse and retry;
features	book; SMTP over SSL; auto color sens (auto, text, mixed, printed picture, phot blank page suppression; scan to mult document editing; auto paper color re	se; compact PDF; image adjustments (d tograph); content orientation; ID scan; ic i-destination, embedded OCR; auto-ton emoval; job separation; automatically st	arkness, contrast, background cleanup, sob build; watermark; stamps; book mode e, auto-orientation, auto-page-crop; multraighten  Up to 60 cpm (with 8EP63AAE)	sharpness); optimized text/picture scans; erase edges; image preview; ti-feed detection; reverse and retry;  Up to 70 cpm (with 8EP64AAE)  Up to 70 cpm (with 8EP64AAE)
features	book; SMTP over SSL; auto color sens (auto, text, mixed, printed picture, phot blank page suppression; scan to mult document editing; auto paper color re Letter Black	se; compact PDF; image adjustments (ditograph); content orientation; ID scan; ididestination, embedded OCR; auto-tonemoval; job separation; automatically study to 50 cpm	arkness, contrast, background cleanup, sob build; watermark; stamps; book mode se, auto-orientation, auto-page-crop; mul raighten  Up to 60 cpm (with 8EP63AAE)  Up to 60 cpm (with 8EP63AAE)	sharpness); optimized text/picture scans; erase edges; image preview; ti-feed detection; reverse and retry;  Up to 70 cpm (with 8EP64AAE)
features	book; SMTP over SSL; auto color sens (auto, text, mixed, printed picture, phot blank page suppression; scan to mult document editing; auto paper color re Letter Black  A4 Black  Letter Black Duplex	se; compact PDF; image adjustments (d tograph); content orientation; ID scan; ic i-destination, embedded OCR; auto-ton emoval; job separation; automatically st Up to 50 cpm Up to 50 cpm Up to 50 cpm	arkness, contrast, background cleanup, sob build; watermark; stamps; book mode e, auto-orientation, auto-page-crop; mul raighten  Up to 60 cpm (with 8EP63AAE)  Up to 60 cpm (with 8EP63AAE)  Up to 60 cpm (with 8EP63AAE)	sharpness); optimized text/picture scans; erase edges; image preview; ti-feed detection; reverse and retry;  Up to 70 cpm (with 8EP64AAE)  Up to 70 cpm (with 8EP64AAE)  Up to 70 cpm (with 8EP64AAE)
features	book; SMTP over SSL; auto color sens (auto, text, mixed, printed picture, phot blank page suppression; scan to mult document editing; auto paper color re  Letter Black  A4 Black  Letter Black Duplex  A4 Black Duplex	se; compact PDF; image adjustments (ditagraph); content orientation; ID scan; ididestination, embedded OCR; auto-ton emoval; job separation; automatically start Up to 50 cpm	arkness, contrast, background cleanup, sob build; watermark; stamps; book mode se, auto-orientation, auto-page-crop; mul raighten  Up to 60 cpm (with 8EP63AAE)	sharpness); optimized text/picture scans; erase edges; image preview; ti-feed detection; reverse and retry;  Up to 70 cpm (with 8EP64AAE)
features	book; SMTP over SSL; auto color sens (auto, text, mixed, printed picture, phot blank page suppression; scan to mult document editing; auto paper color re  Letter Black  A4 Black  Letter Black Duplex  A4 Black Duplex  First copy out Letter Black	se; compact PDF; image adjustments (detagraph); content orientation; ID scan; idiostriction; content orientation; ID scan; idiostriction; embedded OCR; auto-ton emoval; job separation; automatically state Up to 50 cpm  Up to 50 cpm  Up to 50 cpm  Up to 50 cpm  As fast as 3.9 sec  As fast as 3.9 sec	arkness, contrast, background cleanup, sob build; watermark; stamps; book mode se, auto-orientation, auto-page-crop; multraighten  Up to 60 cpm (with 8EP63AAE)  As fast as 3.4 sec (with 8EP63AAE)	sharpness); optimized text/picture scans; erase edges; image preview; ti-feed detection; reverse and retry;  Up to 70 cpm (with 8EP64AAE)  As fast as 3.3 sec (with 8EP64AAE)
features  Copy speed	book; SMTP over SSL; auto color sens (auto, text, mixed, printed picture, phot blank page suppression; scan to mult document editing; auto paper color re  Letter Black  A4 Black  Letter Black Duplex  A4 Black Duplex  First copy out Letter Black  First copy out A4 Black	se; compact PDF; image adjustments (detagraph); content orientation; ID scan; idiostriction; content orientation; ID scan; idiostriction; embedded OCR; auto-ton emoval; job separation; automatically state Up to 50 cpm  Up to 50 cpm  Up to 50 cpm  Up to 50 cpm  As fast as 3.9 sec  As fast as 3.9 sec	arkness, contrast, background cleanup, sob build; watermark; stamps; book mode se, auto-orientation, auto-page-crop; multraighten  Up to 60 cpm (with 8EP63AAE)  As fast as 3.4 sec (with 8EP63AAE)	sharpness); optimized text/picture scans; erase edges; image preview; ti-feed detection; reverse and retry;  Up to 70 cpm (with 8EP64AAE)  As fast as 3.3 sec (with 8EP64AAE)
Copy speed  Copy resolution	book; SMTP over SSL; auto color sens (auto, text, mixed, printed picture, phot blank page suppression; scan to mult document editing; auto paper color re  Letter Black  A4 Black  Letter Black Duplex  A4 Black Duplex  First copy out Letter Black  First copy out A4 Black  Black (text and graphics): Up to 600	se; compact PDF; image adjustments (detagraph); content orientation; ID scan; idiostriction; content orientation; ID scan; idiostriction; embedded OCR; auto-ton emoval; job separation; automatically state Up to 50 cpm  Up to 50 cpm  Up to 50 cpm  Up to 50 cpm  As fast as 3.9 sec  As fast as 3.9 sec	arkness, contrast, background cleanup, sob build; watermark; stamps; book mode se, auto-orientation, auto-page-crop; multraighten  Up to 60 cpm (with 8EP63AAE)  As fast as 3.4 sec (with 8EP63AAE)	sharpness); optimized text/picture scans; erase edges; image preview; ti-feed detection; reverse and retry;  Up to 70 cpm (with 8EP64AAE)  As fast as 3.3 sec (with 8EP64AAE)
Copy speed  Copy resolution  Maximum number of copies	book; SMTP over SSL; auto color sens (auto, text, mixed, printed picture, phot blank page suppression; scan to mult document editing; auto paper color re  Letter Black  A4 Black  Letter Black Duplex  A4 Black Duplex  First copy out Letter Black  First copy out A4 Black  Black (text and graphics): Up to 600  Up to 9999 copies  25 to 400%  Two-sided copying; scalability; image picture, photograph); N-Up; N or Z-orde erase edges; automatically detect co	se; compact PDF; image adjustments (datagraph); content orientation; ID scan; ididestination, embedded OCR; auto-ton emoval; job separation; automatically standard Up to 50 cpm  Up to 50 cpm  Up to 50 cpm  Up to 50 cpm  As fast as 3.9 sec  As fast as 3.9 sec  x 600 dpi  adjustments (darkness, contrast, backgering; content orientation; collation; bod	arkness, contrast, background cleanup, sob build; watermark; stamps; book mode se, auto-orientation, auto-page-crop; multraighten  Up to 60 cpm (with 8EP63AAE)  As fast as 3.4 sec (with 8EP63AAE)  As fast as 3.4 sec (with 8EP63AAE)  ground cleanup, sharpness); optimized te sklet; ID scan; job build; job storage; water es Shift; Paper Selection; collate; Blank Page	sharpness); optimized text/picture scans; erase edges; image preview; ti-feed detection; reverse and retry;  Up to 70 cpm (with 8EP64AAE)  As fast as 3.3 sec (with 8EP64AAE)  As fast as 3.3 sec (with 8EP64AAE)  ext/picture (Auto, text, mixed, printed rmark; stamps; book mode scans;
Copy speed  Copy resolution  Maximum number of copies  Copier resize	book; SMTP over SSL; auto color sens (auto, text, mixed, printed picture, phot blank page suppression; scan to mult document editing; auto paper color re  Letter Black  A4 Black  Letter Black Duplex  A4 Black Duplex  First copy out Letter Black  First copy out A4 Black  Black (text and graphics): Up to 600  Up to 9999 copies  25 to 400%  Two-sided copying; scalability; image picture, photograph); N-Up; N or Z-orde erase edges; automatically detect co	se; compact PDF; image adjustments (datagraph); content orientation; ID scan; id-destination, embedded OCR; auto-ton emoval; job separation; automatically standard Up to 50 cpm  Up to 50 cpm  Up to 50 cpm  Up to 50 cpm  As fast as 3.9 sec  As fast as 3.9 sec  x 600 dpi  adjustments (darkness, contrast, backering; content orientation; collation; bod lor/monochrome; image preview; Image; Auto Paper Color Removal; Job Separe	arkness, contrast, background cleanup, sob build; watermark; stamps; book mode se, auto-orientation, auto-page-crop; multraighten  Up to 60 cpm (with 8EP63AAE)  As fast as 3.4 sec (with 8EP63AAE)  As fast as 3.4 sec (with 8EP63AAE)  ground cleanup, sharpness); optimized te sklet; ID scan; job build; job storage; water es Shift; Paper Selection; collate; Blank Page	sharpness); optimized text/picture scans; erase edges; image preview; ti-feed detection; reverse and retry;  Up to 70 cpm (with 8EP64AAE)  As fast as 3.3 sec (with 8EP64AAE)  As fast as 3.3 sec (with 8EP64AAE)  ext/picture (Auto, text, mixed, printed rmark; stamps; book mode scans;
Copy speed  Copy resolution  Maximum number of copies  Copier resize  Copier settings	book; SMTP over SSL; auto color sens (auto, text, mixed, printed picture, phot blank page suppression; scan to mult document editing; auto paper color re  Letter Black  A4 Black  Letter Black Duplex  A4 Black Duplex  First copy out Letter Black  First copy out A4 Black  Black (text and graphics): Up to 600  Up to 9999 copies  25 to 400%  Two-sided copying; scalability; image picture, photograph); N-Up; N or Z-orde erase edges; automatically detect co Reverse and Retry; Document Editing  Up to: 33.6 kbps / Letter: 3 sec per po	se; compact PDF; image adjustments (datagraph); content orientation; ID scan; id-destination, embedded OCR; auto-ton emoval; job separation; automatically standard Up to 50 cpm  Up to 50 cpm  Up to 50 cpm  Up to 50 cpm  As fast as 3.9 sec  As fast as 3.9 sec  x 600 dpi  adjustments (darkness, contrast, backering; content orientation; collation; bod lor/monochrome; image preview; Image; Auto Paper Color Removal; Job Separe	arkness, contrast, background cleanup, sob build; watermark; stamps; book mode ste, auto-orientation, auto-page-crop; multraighten  Up to 60 cpm (with 8EP63AAE)  Up to 60 cpm (with 8EP63AAE)  Up to 60 cpm (with 8EP63AAE)  As fast as 3.4 sec (with 8EP63AAE)  As fast as 3.4 sec (with 8EP63AAE)  As fast as 3.5 sec (with 8EP63AAE)  as fast as 3.6 sec (with 8EP63AAE)  Spill (With 8EP63AAE)  As fast as 3.7 sec (with 8EP63AAE)  Spill (With 8EP63AAE)  As fast as 3.8 sec (with 8EP63AAE)  Spill (With 8EP63AAE)	sharpness); optimized text/picture scans; erase edges; image preview; ti-feed detection; reverse and retry;  Up to 70 cpm (with 8EP64AAE)  As fast as 3.3 sec (with 8EP64AAE)  As fast as 3.3 sec (with 8EP64AAE)  ext/picture (Auto, text, mixed, printed rmark; stamps; book mode scans;
Copy speed  Copy resolution  Maximum number of copies  Copier resize  Copier settings	book; SMTP over SSL; auto color sens (auto, text, mixed, printed picture, phot blank page suppression; scan to mult document editing; auto paper color re  Letter Black  A4 Black  Letter Black Duplex  A4 Black Duplex  First copy out Letter Black  First copy out A4 Black  Black (text and graphics): Up to 600  Up to 9999 copies  25 to 400%  Two-sided copying; scalability; image picture, photograph); N-Up; N or Z-orderase edges; automatically detect co Reverse and Retry; Document Editing  Up to: 33.6 kbps / Letter: 3 sec per possible to the provided of the	se; compact PDF; image adjustments (datagraph); content orientation; ID scan; ididestination, embedded OCR; auto-ton emoval; job separation; automatically standard Up to 50 cpm  Up to 50 cpm  Up to 50 cpm  Up to 50 cpm  As fast as 3.9 sec  As fast as 3.9 sec  x 600 dpi  adjustments (darkness, contrast, backgering; content orientation; collation; boolor/monochrome; image preview; Image; Auto Paper Color Removal; Job Separage  2 x 400 dpi for received faxes only); Blackgering and provided the second provided faxer duction supported: Yes; Auto-refax phone TAM interface supported:	arkness, contrast, background cleanup, sob build; watermark; stamps; book mode ste, auto-orientation, auto-page-crop; multraighten  Up to 60 cpm (with 8EP63AAE)  As fast as 3.4 sec (with 8EP63AAE)  As fast as 3.4 sec (with 8EP63AAE)  As fast as 3.4 sec (with 8EP63AAE)  Schift; Descar; job build; job storage; water as Shift; Paper Selection; collate; Blank Pagation; Automatically Straighten;  ck (standard): 203 x 98 dpi  dialing: Yes; Fax delayed sending: No; Expolling supported: Yes (poll to resibers: Up to 1000 numbers (each with 210 secans).	sharpness); optimized text/picture scans; erase edges; image preview; ti-feed detection; reverse and retry;  Up to 70 cpm (with 8EP64AAE)  As fast as 3.3 sec (with 8EP64AAE)  As fast as 3.3 sec (with 8EP64AAE)  ext/picture (Auto, text, mixed, printed rmark; stamps; book mode scans; ge Suppression; Multi-feed Detection;  Distinctive ring detection supported: eceive only); Fax telephone mode
Copy speed  Copy resolution  Maximum number of copies  Copier resize  Copier settings  Fax speed  Fax resolution	book; SMTP over SSL; auto color sens (auto, text, mixed, printed picture, phot blank page suppression; scan to mult document editing; auto paper color re  Letter Black  A4 Black  Letter Black Duplex  A4 Black Duplex  First copy out Letter Black  First copy out A4 Black  Black (text and graphics): Up to 600  Up to 9999 copies  25 to 400%  Two-sided copying; scalability; image picture, photograph); N-Up; N or Z-orderase edges; automatically detect co Reverse and Retry; Document Editing  Up to: 33.6 kbps / Letter: 3 sec per po  Black (best): Up to 300 x 300 dpi (400)  Fax memory: Up to 500 pages; Autor No; Fax forwarding supported: Yes; supported: Yes; Remote retrieval ca	se; compact PDF; image adjustments (datagraph); content orientation; ID scan; ididestination, embedded OCR; auto-ton periodes in the separation; automatically standard Up to 50 cpm  As fast as 3.9 sec  As fast as 3.9 sec  x 600 dpi  adjustments (darkness, contrast, backgering; content orientation; collation; both lor/monochrome; image preview; Image; Auto Paper Color Removal; Job Separation of the separ	arkness, contrast, background cleanup, sob build; watermark; stamps; book mode ste, auto-orientation, auto-page-crop; multraighten  Up to 60 cpm (with 8EP63AAE)  As fast as 3.4 sec (with 8EP63AAE)  As fast as 3.4 sec (with 8EP63AAE)  As fast as 3.4 sec (with 8EP63AAE)  Schift; Descar; job build; job storage; water as Shift; Paper Selection; collate; Blank Pagation; Automatically Straighten;  ck (standard): 203 x 98 dpi  dialing: Yes; Fax delayed sending: No; Expolling supported: Yes (poll to resibers: Up to 1000 numbers (each with 210 secans).	sharpness); optimized text/picture scans; erase edges; image preview; ti-feed detection; reverse and retry;  Up to 70 cpm (with 8EP64AAE)  Up to 70 cpm (with 8EP64AAE)  Up to 70 cpm (with 8EP64AAE)  As fast as 3.3 sec (with 8EP64AAE)  As fast as 3.3 sec (with 8EP64AAE)  ext/picture (Auto, text, mixed, printed rmark; stamps; book mode scans; ge Suppression; Multi-feed Detection;  Distinctive ring detection supported: eceive only); Fax telephone mode of destinations); PC interface

# E826z Technical specifications

Wireless capability	Optional enabled with purchase of a	nardware accessory		
Mobile printing capability	Optional, enabled with purchase of a hardware accessory			
Memory	Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; HP Roam; NFC Touch-to-print (optional); PrinterOn Print  Standard: 6 GB; Maximum: 6 GB			
Processor speed	Ouad Cortex A72 1.6Ghz, Dual Cortex A53 1.4Ghz / Storage: Standard, embedded 500 GB hard disk drive / Hard disk: Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)			
Duty cycle (monthly)	Letter:         Up to 200,000 pages         Up to 250,000 pages (with 8EP63AAE)         Up to 300,0 8EP64AAE)			
	A4:	Up to 200,000 pages	Up to 250,000 pages (with 8EP63AAE)	Up to 300,000 pages (with 8EP64AAE)
Recommended monthly page volume	Up to 60,000			
Paper handling		Tray1: up to 100 sheets; Tray2: up to 520 s rd; Up to 100 sheets; <b>Duplex Options:</b> Au		
Media types supported	Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Heavy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, HP Glossy 200g, Card-stock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Heavy Paperboard, Mono Transparency, Labels, Letterhead, Envelope, Preprinted, Pre-punched, Colored			
Media weight supported	Tray 1, 2, 3: 16 to 86.5 lb bond			
Media sizes supported	Tray 1: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 12 x 18, 4 x 6, 5 x 7, 5 x 8, 10 x 15, 8k, 16k, envelope #9, Envelope #10, Envelope Monarch; Tray 2: Letter, Letter R, Legal, Executive, Statement, Oficio, 4 x 6, 5 x 7, 5 x 8, 10 x 15, 16k, envelope #9, Envelope #10, Envelope Monarch; Tray3: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 12 x 18, 8k, 16k			
Media sizes Custom	Tray 1: 3.86 x 5.5 to 12.59 x 18 in; Tray 2	2: 3.86 x 5.5 to 9.5 x 11.69 in; <b>Tray 3:</b> 5.5 x 7.	17 to 12.59 x 18 in	
What's in the box	<b>5QK13A</b> In box materials; Guide install, Flyer Regulatory, Power Cords, Keyboard/Overlay for Z model, Label, Drums. <b>W9084MS</b> HP LaserJet Black Starter Toner Cartridge (ISO Yield 9,000)			
Replacement cartridges <sup>20</sup>	HP Black Managed LJ Toner Cartridge (ISO Yield 30,000) W9084MC, HP Black Managed LJ Toner Cartridge (ISO Yield 60,000) W9085MC. Toner cartridge availability differs by region. For more detail, please find your market datasheets.			
Product dimensions	<b>W</b> x d x h: 25.2 x 29.4 x 36.8 in <b>Maximum:</b> 65.2 x 51.2 x 59.2 in			
Product weight	182.7 lb			
Warranty features	90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to hp.com/support to learn about HP award winning service and support options in your region.			
Energy star certified	Yes			
Energy efficiency compliance	EPEAT® registered; IT ECO Declaration	n; Blue Angel		
Control panel	10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker			
Display description	10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD)			
Software included	No software solutions are included in the Box: only on http://hp.com http://123.hp.com			
Compatible operating systems	Windows Client OS (32/64 bit), Win10, Win11, Win7 Ultimate, Mobile OS's, iOS, Android, Apple macOS's, Apple macOS Catalina v10.15, Apple macOS Big Sur v11.0, Apple macOS Monterey v12.0, (All operating systems with the latest updates)			
Compatible network operating systems	Windows Server 2008 R2 64-bit, Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit, Windows Server 2022 64-bit, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell iPrint server, Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information, see http://citrixready.citrix.com, Linux-For more information, see http://developers.hp.com/hp-linux-imaging-and-printing, Unix-For more information, see http://hp.com/go/unixmodelscripts, (All operating systems with the latest updates)			
Minimum system requirements	PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements, see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements, see apple.com			
Power	Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 100 to 127VAC 50/60Hz, 110 to 127VAC 50/60Hz, 220 to 240VAC 50/60Hz (Not dual voltage, power supply varies by part number with # Option code identifier); Power consumption: 870 watts (50ppm, printing), 1010 watts (60ppm, printing), 1090 watts (70ppm, printing), 36.0 watts (ready), 0.9 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)			
Acoustics	Acoustic power emissions: 6.85 Bel(A), printing simplex A4 at 50ppm; 6.95 Bel(A), printing simplex A4 at 60ppm; 7.10 Bel(A), printing simplex A4 at 70ppm; Acoustic Pressure Emissions (active, printing): 53dB(A), printing simplex A4 at 50ppm; 54dB(A), printing simplex A4 at 60ppm; 55dB(A), printing simplex A4 at 70ppm; Acoustic Pressure Emissions (active scan): 54dB(A), ADF scan A4 at 90ipm; 59dB(A), ADF scan A4 at 150ipm			
Operating environment	Operating temperature range: 15 to 30°C; Recommended operating temperature: 15 to 30°C; Storage temperature range: -10 to $40$ °C; Operating humidity range: 20 to $80\%$ RH; Recommended humidity operating range: $20$ to $80\%$ RH			

# E826dn Technical specifications

Functions	Print, copy, scan, fax (optional)			
Print speed <sup>3,19</sup>	Letter Black	Up to 50ppm	Up to 60ppm (with 8EP63AAE)	Up to 70ppm (with 8EP64AAE)
	A4 Black	Up to 50ppm	Up to 60ppm (with 8EP63AAE)	Up to 70ppm (with 8EP64AAE)
	First page out Letter Black	As fast as 7.2 sec	As fast as 6.9 sec (with 8EP63AAE)	As fast as 6.8 sec (with 8EP64AAE)
	First page out A4 Black	As fast as 7.2 sec	As fast as 6.9 sec (with 8EP63AAE)	As fast as 6.8 sec (with 8EP64AAE)
Print resolution	Black (best): Up to 1200 x 1200 dpi full	speed; <b>Black (normal):</b> Up to 600 x 600	) dpi; <b>Black (fine lines):</b> Up to 1200 x 1200	D dpi
Print technology	Laser; <b>Optical:</b> Normal (600 x 600 4 bit); Best (1200 x 1200 1 bit)			
Print cartridges number	1(black)			
Standard print languages	HP PCL 5e, HP PCL 6, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible			
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB			
Color scanning	Yes			
Scan speed Normal		pm/180ipm (color) <b>Duplex:</b> Up to 180ipm	(b&w) up to 180ipm (color)	
Scan type / Technology <sup>6</sup>	Flatbed, ADF / Platen Scanner CCD Di		(Sample to toolpin (color)	
Scan resolution	Hardware: Up to 600 x 600 dpi; Optice			
Scan file format		Compression PDF/A, JPEG, TIFF, MTIFF, XF	90	
		<u> </u>	rs 	Extensibility Platform (OVD) UD
Scan input modes	Workpath applications	can to Email, Scan to Network Folder, Sc	an to USB, Scan to Job Storage, Open E	:xtensibility Platform (OXP), AP
Scan size	<b>ADF:</b> 11.7 x 34 in Maximum; 2.7 x 5 in Mi	nimum; <b>Flatbed:</b> 11.69 x 17 in		
Duplex ADF scanning	Yes			
ADF capacity	Standard, 200 sheets			
Twain version	Version 2.4			
Bit depth / Grayscale levels	24-bit/256			
Digital sending standard features	Scan to e-mail; save-to-network folder; save-to-USB drive; send to Sharepoint; send to FTP; send to sFTP; send to LAN fax; send to Internet Fax; local address book; SMTP over SSL; auto color sense; compact PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (text, mixed, printed picture, photograph); content orientation; ID scan; job build; watermark; stamps; book mode scans; erase edges; image preview; blank page suppression;			
Copy speed	Letter Black	Up to 50 cpm	Up to 60 cpm (with 8EP63AAE)	Up to 70 cpm (with 8EP64AAE)
	A4 Black	Up to 50 cpm	Up to 60 cpm (with 8EP63AAE)	Up to 70 cpm (with 8EP64AAE)
	Letter Black Duplex	Up to 50 cpm	Up to 60 cpm (with 8EP63AAE)	Up to 70 cpm (with 8EP64AAE)
	A4 Black Duplex	Up to 50 cpm	Up to 60 cpm (with 8EP63AAE)	Up to 70 cpm (with 8EP64AAE)
	First copy out Letter Black	As fast as 3.9 sec	As fast as 3.4 sec (with 8EP63AAE)	As fast as 3.3 sec (with 8EP64AAE)
	First copy out A4 Black	As fast as 3.9 sec	As fast as 3.4 sec (with 8EP63AAE)	As fast as 3.3 sec (with 8EP64AAE)
Copy resolution	Black (text and graphics): Up to 600 x 6	600 dpi		
Maximum number of copies	Up to 9999 copies			
Copier resize	25 to 400%			
Copier settings	Two-sided copying; reduce/enlarge; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); N-Up; N or Z-ordering; content orientation; collate; booklet; scan mode (book, 2-sided ID); watermark; stamps; image overlay; erase edges; job build; image preview; image shift; paper selection; blank page suppression; automatically straighten; scan to job storage			
Fax speed	Up to: 33.6 kbps / Letter: 3 sec per page			
Fax resolution	Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi			
Fax features	Fax memory: Up to 500 pages; Auto fax reduction supported: Yes; Auto-redialing: Yes; Fax delayed sending: No; Distinctive ring detection supported: No; Fax forwarding supported: Yes; Fax phone TAM interface supported: No; Fax polling supported: Yes (poll to receive only); Fax telephone mode supported: No; Junk barrier supported: Yes; Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations); PC interface supported: Yes; Remote retrieval capability supported: No; Telephone handset supported: No			
Standard connectivity	2 Hi-Speed USB 2.0 Host; 1 Super-Speed USB 3.0 Device; 1 GIGABIT Ethernet 10/100/1000T network; 1 Hardware Integration Pocket			
Network capabilities	Standard (built-in Gigabit 10/100/1000T Ethernet)			
Wireless capability	Optional, enabled with purchase of a hardware accessory			
Mobile printing capability	Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; HP Roam; NFC Touch-to-print (optional); PrinterOn Print			
Memory	Standard:6 GB; Maximum:6 GB			
Processor speed	Quad Cortex A72 1.6Ghz, Dual Cortex A53 1.4Ghz / <b>Storage:</b> Standard, embedded 500 GB hard disk drive / <b>Hard disk:</b> Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)			

# E826dn Technical specifications

Duty cycle (monthly)	Letter:	Up to 200,000 pages	Up to 250,000 pages (with 8EP63AAE)	Up to 300,000 pages (with 8EP64AAE)
	A4:	Up to 200,000 pages	Up to 250,000 pages (with 8EP63AAE)	Up to 300,000 pages (with 8EP64AAE)
Recommended monthly page volume	Up to 60,000			
Paper handling	Input Capacities: Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets) Standard; Up to 50 envelopes; Output Capacities: Up to 500 sheets Standard; Up to 100 sheets; Duplex Options: Automatic; Envelope feeder: No; Standard paper trays: 3			
Media types supported	Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Heavy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, HP Glossy 200g, Card-stock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Heavy Paperboard, Mono Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Pre-punched, Colored			
Media weight supported	Tray 1, 2, 3: 16 to 86.5 lb bond			
Media sizes supported	Tray 1: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 12 x 18, 4 x 6, 5 x 7, 5 x 8,10 x 15, 8k, 16k, Envelope #9, Envelope #10, Envelope Monarch; Tray 2: Letter, Letter R, Legal, Executive, Statement, Oficio, 4 x 6, 5 x 7, 5 x 8,10 x 15, 16k, envelope #9, Envelope #10, EnvelopeMonarch; Tray3: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 12 x 18, 8k, 16k			
Media sizes Custom	<b>Tray 1:</b> 3.86 x 5.5 to 12.59 x 18 in; <b>Tray 2:</b> 3.86 x 5.5 to 9.5 x 11.69 in; <b>Tray 3:</b> 5.5 x 7.17 to 12.59 x 18 in			
What's in the box	5QK09A In box materials; Guide install, Flyer Regulatory, Power Cords, Label, Drums. W9084MS HP LaserJet Black Starter Toner Cartridge (ISO Yield 9,000)			
Replacement cartridges <sup>20</sup>	HP Black Managed LJ Toner Cartridge (ISO Yield 30,000) W9084MC, HP Black Managed LJ Toner Cartridge (ISO Yield 60,000) W9085MC. Toner cartridge availability differs by region. For more detail, please find your market datasheets.			
Product dimensions	<b>W</b> x d x h: 23 x 27.4x 35.7 in <b>Maximum</b> : 65.2 x 50 x 58.6 in			
Product weight	172.4 lb			
Warranty features	90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to hp.com/support to learn about HP award winning service and support options in your region.			
Energy star certified	Yes			
Energy efficiency compliance	EPEAT® registered; IT ECO Declaration; Blue Angel			
Control panel	10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker			
Display description	10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD)			
Software included	No software solutions are included in the Box: only on http://hp.com http://123.hp.com			
Compatible operating systems	Windows Client OS (32/64 bit), Win10, Win11, Win7 Ultimate, Mobile OS's, iOS, Android, Apple macOS's, Apple macOS Catalina v10.15, Apple macOS Big Sur v11.0, Apple macOS Monterey v12.0, (All operating systems with the latest updates)			
Compatible network operating systems	Windows Server 2008 R2 64-bit, Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit, Windows Server 2019 64-bit, Windows Server 2012 64-bit, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell iPrint server, Citrix Ready Kit Certification - Up to Citrix Server 7.18 f more information, see http://citrixready.citrix.com, Linux-For more information, see http://developers.hp.com/hp-linux-imaging-and-printing, Unix-For more information, see http://hp.com/go/unixmodelscripts, (All operating systems with the latest updates)			ertification - Up to Citrix Server 7.18 for
Minimum system requirements	PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements, see microsoft.com;  Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements, see apple.com			
Power	Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 100 to 127VAC 50/60Hz, 110 to 127VAC 50/60Hz, 220 to 240VAC 50/60Hz (Not dual voltage, power supply varies by part number with # Option code identifier); Power consumption: 870 watts (50ppm, printing), 1010 watts (60ppm, printing), 1090 watts (70ppm, printing), 36.0 watts (ready), 0.9 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)			
Acoustics	Acoustic power emissions: 6.85 Bel(A), printing simplex A4 at 50ppm; 6.95 Bel(A), printing simplex A4 at 60ppm; 7.10 Bel(A), printing simplex A4 at 70ppm; Acoustic Pressure Emissions (active, printing): 53dB(A), printing simplex A4 at 50ppm; 54dB(A), printing simplex A4 at 60ppm; 55dB(A), printing simplex A4 at 70ppm; Acoustic Pressure Emissions (active scan): 54dB(A), ADF scan A4 at 90ipm; 59dB(A), ADF scan A4 at 150ipm			at 60ppm; 55dB(A), printing simplex A4
Operating environment	Operating temperature range: 15 to 30°C; Recommended operating temperature: 15 to 30°C; Storage temperature range: -10 to 40°C; Operating humidity range: 20 to 80% RH; Recommended humidity operating range: 20 to 80% RH			

# E826 Accessories<sup>21</sup>

Accessory Description	Accessory SKU#
HP LaserJet Inner Finisher 2/3 Hole Punch	155P7A (not configurable to 70PPM) <sup>22</sup>
HP LaserJet Inner Finisher 2/4 Hole Punch	155P8A (not configurable to 70PPM) <sup>22</sup>
HP LaserJet Inner Finisher Swedish Hole Punch	155P9A (not configurable to 70PPM) <sup>22</sup>
HP Printing Voice Assistant	478C2A
HP Removable Hard Drive Enclosure	2NR12A
HP Accessibility Kit	2TD64A
HP Jetdirect 3100w BLE/NFC/Wireless Accessory	3JN69A
HP Legic Reader	4QL32A
HP Internal USB Expansion Kit	4XN67A
HP MFP 810 Analog Dual Fax	5QK14A
HP LaserJet 2x520 sheet Department Paper Tray/Stand	6GW47A
HP Laser Jet Inner Finisher	6GW49A (not configurable to 70PPM) <sup>22</sup>
HP Laser Jet Department Job Separator	6GW50A
HP LaserJet Booklet Finisher	6GW51A
HP Laser Jet Ctaplay Ctaplay Finisher	6GW53A
HP Laser Jet 2000 sheet Department High Canasity Paper Tray/Ctand	6GW55A
HP Laser Jet 3000 sheet Department High Capacity Paper Tray/Stand	6GW56A
HP Laser Jet 2000 sheet Department High Capacity Paper Tray/Stand	6GW57A
HP LaserJet Workflow Accelerator Card	6HN30A <sup>24</sup> (Flow model only)
HP 500GB CCC, FIPS, TAA Hard Disk Drive	6HN31A
HP MFP 811 Analog Dual Fax	7ZA07A
HP MFP 800 Analog Single Fax	7ZA08A
HP MFP 801 Analog Single Fax	7ZA09A
HP Jetdirect LAN Accessory	8FP31A
HP 500GB CCC, FIPS Hard Disk Drive	9EQ11A
HP Foreign Interface Harness	B5L31A
HP SmartCard NIPRNet Solution for US Government	CC543B
HP SmartCard SIPRNet Solution for US Government	F8B30A
HP USB Universal Card Reader	X3D03A
HP Laser Jet Hole Punch 2/3 Accessory	Y1G10A
HP LaserJet Hole Punch 2/4 Accessory	Y1G11A
HP Laser Jet Hole Punch Swedish Accessory	Y1G12A
HP Laser Jet Inner/Booklet Staples	Y1G13A
HP Laser Jet Stapler/Stacker Finisher Staples	Y1G14A
HP Laser Jet Paper Tray Heaters Accessory	Y1G22A
HP HIP2 Keystroke Reader	Y7C05A
HP SIM for HID iClass for HIP2 Reader	Y7C07A
HP LaserJet Department Lunar Gray Color Panel	190A3A
HP LaserJet Department 2x520 sheet Paper Tray/Stand Lunar Gray Color Panel	190A4A
HP LaserJet Department High Capacity Paper Tray/Stand Lunar Gray Color Panel	190A5A
HP LaserJet Department Stand Lunar Gray Color Panel	190A8A
HP LaserJet Department Comet Red Color Panel	190B3A
HP LaserJet Department 2x520 sheet Paper Tray/Stand Comet Red Color Panel	190B4A
HP LaserJet Department High Capacity Paper Tray/Stand Comet Red Color Panel	190B5A
HP LaserJet Department Stand Comet Red Color Panel	190B8A
HP LaserJet Department Cosmic Green Color Panel	190C3A
HP LaserJet Department 2x520 sheet Paper Tray/Stand Cosmic Green Color Panel	190C4A
HP LaserJet Department High Capacity Paper Tray/Stand Cosmic Green Color Panel	190C5A
HP LaserJet Department Stand Cosmic Green Color Panel	190C8A
HP LaserJet Department Constellation Yellow Color Panel	190D3A
HP LaserJet Department 2x520 sheet Paper Tray/Stand Constellation Yellow Color Panel	190D4A
HP LaserJet Department High Capacity Paper Tray/Stand Constellation Yellow Color Panel	190D5A
HP LaserJet Department Stand Constellation Yellow Color Panel	190D8A
HP LaserJet Department Aurora Purple Color Panel	190F3A
HP LaserJet Department 2x520 sheet Paper Tray/Stand Aurora Purple Color Panel	190F4A
HP LaserJet Department High Capacity Paper Tray/Stand Aurora Purple Color Panel	190F5A
HP LaserJet Department Stand Aurora Purple Color Panel	190F8A

# Configuration

### HP LaserJet Managed MFP E826 series

#### Select only one finisher accessory: Recommended



#### Inner finisher (6GW49A) Top tray:

- Up to 50 sheets (stack)
- Media size: up to SRA3 (12 x 18-inch)
- Media weight: 60 to 325gsm (16 to 86 lb)

  Main trave
- Up to 500 sheets (sort/stack/staple/punch)
- Media size up to SRA3 (12 x 18-inch)
- Media weight: 60 to 256gsm (16 to 68 lb)
   Inner finisher is not compatible with 70ppm



### Booklet finisher (6GW51A)

### Top tray:

- Up to 250 sheets (stack/punch)
- Media size: up to SRA3 (12 x 18-inch)
- Media weight: 60 to 300gsm (16 to 79 lb)

#### Main tray:

- Up to 2,000 sheets (sort/stack/ staple/ punch)
- Media size: up to SRA3 (12 x 18-inch)
- Media weight: 60 to 325gsm (16 to 86 lb) **Booklet tray:**
- ~5 sets of 25 sheets each (booklet)
- C-fold, V-fold



### Stapler/stacker finisher (6GW55A) Top tray:

- Up to 250 sheets (stack/punch)
- Media size: up to SRA3 (12 x 18-inch)
- Media weight: 60 to 300gsm (16 to 79 lb) **Main tray:**
- Up to 3,000 sheets (sort/stack/ staple/ punch)
- Media size: up to SRA3 (12 x 18-inch)
- Media weight: 60 to 325gsm (16 to 86 lb)



### Job separator (6GW50A)

- Up to 125 sheets
- Media size: up to SRA3 (12 x 18-inch)
- Media weight: 60 to 325gsm (16 to 86 lb)



#### Hole punch

- For Booklet or Stapler/stacker finisher (shown above): Y1G10A (2/3), Y1G11A (2/4), Y1G12A (Swedish)
- For Inner finisher: 155P7A, (2/3) 155P8A (2/4), 155P9A (Swedish)



#### Staples (5,000)

- For Inner finisher or Booklet finisher: Y1G13A
- For Stapler/stacker finisher or Booklet finisher: Y1G14A



### Standard on dn models: 200-sheet ADF

- Single pass, two-sided scanning
- Scans up to 90 ppm, simplex and 180 ipm, duplex
- Media size: up to A3 (11 x 17-inch)
- Media weight: 45 to 199gsm (12 to

#### 100-sheet multipurpose tray 1


- Media size: up to SRA3 (12 x 18-inch)
- Media weight: 60 to 325gsm (16 to 86 lb)

#### 520-sheet tray 2

- Media size: Up to B4 (legal)
- Media weight: 60 to 325gsm (16 to 86 lb)

#### 520-sheet tray 3

- Media size: up to SRA3 (12 x 18-inch)
- Media weight: 60 to 325gsm (16 to 86 lb)





Stand (6GW53A)



### 2x520 sheet paper tray/stand (6GW47A)

- Tray 1: up to 520 sheets
- Tray 2: up to 520 sheets
- Media size: up to SRA3 (12 x 18-inch)
- Media weight: 60 to 300gsm (16 to 79 lh)



### 2000 sheet high-capacity paper tray/stand (6GW57A)

- Up to 2,000 sheets
- Media size: A4 (letter)
- Media weight: 60 to 300gsm (16 to 79 lb)



### 3000 sheet High capacity paper tray/stand (6GW56A)

- Up to 3,000 sheets
- Media size: A4 (letter)
- Media weight: 60 to 300gsm (16 to 79 lb)
- Requires selection of either 2x520
   Tray/Stand, or 2000 High Capacity Tray/Stand




#### Tray heater 110V (Y1G22A) Tray heater 220V (Y1G22A)

Helps reduce paper jams in high humidity environments. Optional; may choose one. If 2x520 sheet Paper Tray/Stand, or 2000 sheet High Capacity Paper Tray/Stand is selected, may select one additional tray heater.

# Paper Handling Accessories

## HP LaserJet Managed MFP E826 series









Inner finisher (6GW49A)	Stapler/stacker (6GW55A)	Booklet finisher (6GW51A)
Top tray: up to 50 sheets	Top tray: up to 250 sheets	Top tray: up to 250 sheets
Main (finishing) tray: up to 500 sheets	Main (finishing) tray: up to 3,000 sheets	Main (finishing) tray: up to 2,000 sheets
		Booklet tray: up to 5 sets of 25 sheets each

One finisher accessory is recommended; only one can be added at a time. Inner finisher/inner finisher hole punches are not compatible with 70ppm

Staples up to 50 sheets Staples up to 65 sheets Staples up to 65 sheets

## Disclaimers and trademarks

### Legal footnotes

- 1. HP Security is now HP Wolf Security. Security features vary by platform; please see the product data sheet for details.
- 2. DMIPS comparison based on main system processor core on predecessor comparison; Managed E876/E825/E778/E731/E774/E724 series vs. Managed E800/E700 series product platforms.
- Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims Exact speed varies depending on the
  system configuration, software application, driver, and document complexity.
- 4. Reverse and retry technology is only available on Flow-based models.
- 5. Management of customized delivery options are only available with the optional Workflow accelerator card; availability in January 2023.
- Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
   Measured using standards found at: http://standards.iso.org/ittf/PubliclyAvailableStandards/SC28\_Test\_Pages/
- 7. Color panels are optional and availability may vary. Check with your HP Reseller for details.
- HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines. EPEAT\* registered where applicable.
   EPEAT registration varies by country. See http://www.epeat.net for registration status by country.
- 9. 100% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced, certified and recycled fibers.
- 10. 100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed.
- 11. See hp.com/TonerRecycledContent for list of individual supply percentages for the Original HP Toner supply use of recycled content.
- 12. HP printer, HP paper and Original HP supply Blue Angel DE-UZ 219 Emissions Criteria.
- 13. Dependent upon country setup specifications.
- 14. HP Planet Partners Program availability varies. For more information, visit hp.com/hprecycle
- 15. HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800493 guidelines for device cyber resiliency. For a list of compatible products, visit hp.com/go/PrintersThatProtect For more information, visit hp.com/go/PrinterSecurityClaims
- 16. HP Security Manager must be purchased separately.
- 17. Hardware Integration Pocket Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.
- 18. HP EveryPage Technology is powered by ultrasonic multi-feed detection.
- 19. Measured using ISO/IEC 17629. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- 20. Approximate average yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/go/learnaboutsupplies
- 21. Accessories may vary by region.
- 22. Inner finisher is not compatible with 70ppm.
- 23. Approximate average yield based on ISO/IEC 19752. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/go/learnaboutsupplies
- 24. HP Laser Jet Workflow Accelerator Card, 6HN30A, will be available in January 2023.

