# HP Color LaserJet Enterprise MFP X677dn Printer



## Powerfully productive. Extraordinarily efficient.

Transform your workflows with advanced capabilities in a compact footprint. Customizable configurations from print speeds to color panels help to meet the needs of busy workgroups. All while protecting your business against evolving security threats.



This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds



#### Customizable and scalable solutions.

- Expand device functionality and performance with upgradeable options through any point while in contract.
- Get the functionality you need with input options to help optimize your device to meet your business needs and your budget.
- · Choose storage options to handle data and documents stored on the device.

## Fast and seamless digitization

- Customize your print experience with cloud-connected HP Workpath apps. Access personalized content and integrate paper and digital workflows.<sup>1</sup>
- Give your team the tools to succeed with the HP Open Extensibility Platform containing hundreds of HP and third-party solutions, and card reader support.
- Make color management simple with HP Custom Color Manager. Match color output of any
  document-device combination by simply pulling color profiles from the cloud. Get high-quality
  color profiles without the hassle of expensive color matching systems.<sup>8</sup>
- Targeted fusing technology<sup>2</sup> requires less energy and helps to reduce cooling requirements allowing for larger, faster color print jobs.

## Everything you expect from an office printer


- Experience fast scanning speeds and ultimate productivity with up to 152 ipm<sup>3</sup> duplex scan technology.
- Get everything done with fast print speeds up to 61 PPM. $^4$

### Always on guard with HP Wolf Security

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- HP Connection Inspector examines network connections. The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Memory ShieldTM and expanded run-time intrusion detection protects memory and other applications. Common Criteria certified<sup>6</sup> to continually monitor memory activity, detect and stop zero-day attacks in real time [known/unknown] and self-heal.
- Minimize exposure with whitelisting checks, firmware that is automatically checked during start-up to determine if it's authentic code – digitally signed by HP.

## Product walkaround

- 1. 150-sheet dual side ADF supports media sizes up to A4
- 2. 500-sheet output bin supports media sizes up to A4
- 3. Automatic 2-sided printing
- 4. Front door access to process cartridges
- 5. HP High-Performance Secure Hard Disk
- 6. Front door access to toner cartridges
- 7. Slot for cable-type security lock
- 8. Super Speed USB 3.0 Host Port
- 9. Hi-Speed USB 2.0 Host Port
- 10. Gigabit Ethernet Port
- 11. Super Speed 3.0 device port
- 12. Long originals media sensor
- 13. 20.3 cm color touchscreen display
- 14. Easy-access USB port
- 15. Hardware Integration Pocket
- 16. Power button
- 17. Right door access to the print path
- 18. 100-sheet multipurpose tray 1 supports media sizes up to A4
- 19. Tray 2 jam access door
- 20. 550-sheet tray 2 supports media sizes up to A4



# Series at a glance



Model	HP Color LaserJet Enterprise MFP X677dn Printer
Product number	6QQ01A
Functions	Print, copy, and scan (fax and wireless optional) (all models)
Print speed	52 ppm (A4), 61 ppm (A4) with optional speed license
Control panel	20.3 cm color touchscreen display
Scan speed	80/160 ipm (simplex/duplex)
RMPV	Up to 30,000 pages per month
Input capacity	650/3,300 (std/max)
Output capacity (standard)	550-sheets
Processor	Quad-core 1.6 GHz
Flow solutions	No
Workpath enabled	Yes
Extensibility	HP FutureSmart 5, OXPd

# Accessories, Supplies and Support

upplies	527F9A HP LaserJet Toner Collection Unit
upplies	5275SMC HP Laser let 220V Fuser Assembly
	527HOMC HP LaserJet Image Transfer Belt Kit
	527H1MC HP LaserJet Managed Transfer Roller Kit
	6H122A HP Laser Jet ADF Maintenance Kit
	6MIP3A HP Laser Jet ADF Maintenance Kit W03730K (LINV0370MC Plack Managed Oxiginal Laser Jet Tapes Cattridge
	W9270MC HP W9270MC Black Managed Original LaserJet Toner Cartridge W9271MC HP W9271MC Cyan Managed Original LaserJet Toner Cartridge
	W9271MC IH W927 IMC Cyall melanged Original Laser Jet Toller Cartridge W9272MC HP W9272MC Yellow Managed Original Laser Jet Toner Cartridge
	W9273MC HP W9273MC Magnata Managed Original Laser Jet Toner Cartridge
	W9280MC HP W9280MC Black Managed Original LaserJet Imaging Drum
	W9281MC HP W9281MC Cyan Managed Original LaserJet Imaging Drum
	W9282MC HP W9282MC Yellow Managed Original LaserJet Imaging Drum
	W9283MC HP W9283MC Magenta Managed Original LaserJet Imaging Drum
cessories	1MOQOA HP MFP Analog Fax 702 Accessory
	1M0Q1A HP MFP Analog Fax 703 Accessory
	1MOQ2A HP LaserJet Workflow Keyboard
	1M003A HP JetDirect 3200w BLE/Wireless Accy
	1M0Q4A HP LaserJet Secure Solid State Drive
	2NR12A HP Removable Hard Drive Enclosure
	2TD64A HP Accessibility Kit
	35H11A HP HID Mobile Access Mifare DES Fire Keystroking Reader
	3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory
	· · · · · · · · · · · · · · · · · · ·
	478C2A HP Printing Voice Assistant
	49K94AAE HP Color LaserJet Enterprise MFP X677 55 to 65ppm License
	4QL32A HP Legic Secure USB Reader
	4XN67A Internal USB Expansion Kit
	616G9A HP LaserJet A5 HCI Guide Kit
	616H0A HP Laser Jet Statement HCI Guide Kit
	616H2A HP Laser Jet Workflow UK Keyboard
	616H3A HP LaserJet Workflow Healthcare Keyboard
	616H4A HP LaserJet Workflow Healthcare UK Keyboard
	630C2A HP CLJ X677 Constellation Yellow Color Panel Kit
	630C3A HP CLJ X677 Cosmic Green Color Panel Kit
	630C4A HP CLJ X677 Aurora Purple Color Panel Kit
	630C5A HP CLJ X677 Comet Red Color Panel Kit
	630C6A HP CLJ X677 Lunar Gray Color Panel Kit
	630C7A HP 550 Sheet Paper Tray Constellaiton Yellow Panel Kit
	630C8A HP 550 Sheet Paper Tray Cosmic Green Panel Kit
	630C9A HP 550 Sheet Paper Tray Aurora Purple Panel Kit
	630D0A HP 550 Sheet Paper Tray Comet Red Panel Kit
	630D1A HP 550 Sheet Paper Tray Lunar Gray Panel Kit
	630D2A HP HC Tray Constellation Yellow Panel Kit
	630D3A HP HC Tray Cosmic Green Panel Kit
	630D4A HP HC Tray Aurora Purple Panel Kit
	630DSA HP HC Tray Comet Red Panel Kit
	·
	630D6A HP HC Tray Lunar Gray Panel Kit
	630D7A HP Storage Stand Constellation Yellow Panel Kit
	630D8A HP Storage Stand Cosmic Green Panel Kit
	630D9A HP Storage Stand Aurora Purple Panel Kit
	630FOA HP Storage Stand Comet Red Panel Kit
	630F1A HP Storage Stand Lunar Gray Panel Kit
	65A28A HP Color Laser Jet Constellation Yellow 550 sheet Paper Tray
	65A29A HP Color LaserJet Cosmic Green 550 sheet Paper Tray
	65A30A HP Color Laser Jet Aurora Purple 550 sheet Paper Tray
	65A31A HP Color LaserJet Comet Red 550 sheet Paper Tray
	65A32A HP Color Laser Jet Lunar Gray 550 sheet Paper Tray
	65A33A HP Color Laser Jet Constellation Yellow 2100 sheet High Capacity Paper Tray/Stand
	65A34A HP Color LaserJet Cosmic Green 2100 sheet High Capacity Paper Tray/Stand
	65A35A HP Color Laser Jet Aurora Purple 2100 sheet High Capacity Paper Tray/Stand
	65A36A HP Color LaserJet Comet Red 2100 sheet High Capacity Paper Tray/Stand
	65A37A HP Color LaserJet Lunar Gray 2100 sheet High Capacity Paper Tray/Stand
	65A3BA HP Color LaserJet Constellation Yellow Storage Stand
	65A39A HP Color Laser Jet Cosmic Green Storage Stand
	65A40A HP Color Laser Jet Aurora Purple Storage Stand
	65A41A HP Color Laser Jet Comet Red Storage Stand
	-
	65A42A HP Color LaserJet Lunar Gray Storage Stand
	6QN54A HP Color Laser Jet Stand
	6QN55A HP Color Laser Jet Storage Stand
	6QN57A HP Color LaserJet 550-sheet Media Tray
	60N59A HP Color Laser Jet 2100 HCl Feeder and Stand
	8FP31A HP Jetdirect LAN Accessory
	9EQ11A HP 500GB CCC, FIPS Hard Disk Drive
	A7W13A HP LaserJet Keyboard Overlay Kit-Danish/French-Switzerland/German-Switzerland
rvice and Support	U45TKE HP 3 year Next Business Day Service with Defective Media Retention for Color LaserJet Ent MFP X677xx
i vice and Juppol L	U45 TEC HY 3 year Next business Day Service with Detection Medicine Retention for Color Laserate in MPY A67/XX  U45 TEC HP 4 year Next Business Day Service with Media Retention for Color Laserate in MPP X67/XX  Laserate in MPP X67/XX
	U45TLE Fir 4 year Next Business Day Service with Media Retention for Color LaserJet Ent MFP X677xx  U45TME HP 5 year Next Business Day Service with Media Retention for Color LaserJet Ent MFP X677xx
	U45TME IP 3 year Parts Only Service with Defective Media Retention for Color Laser JettertMFPX677xx  W5TME IP 3 year Parts Only Service with Defective Media Retention for Color Laser JettertMFPX677xx
	U45TYE HP 4 year Parts Only Service with Defective Media Retention for Color Laser/JetEntMFPX677xx
	U45TZE HP 5 year Parts Only Service with Defective Media Retention for Color Laser Jet EntMFPX677xx
	<b>U45U0PE</b> HP 1 year Post Warranty Next Business Day Service with Defective Media Retention for Color LaserJet Ent MFP X677xx <b>U45U6PE</b> HP 1 year Post Warranty Parts Only Service with Defective Media Retention for Color LaserJetEntMFPX677xx

# **Technical specifications**

Model	HP Color LaserJet Enterprise MFP X677dn Printer
Product number	6QQ01A
Functions	Print, copy, scan, fax (optional)
Control panel Print	8.0 in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display
	1
Print technology	Laser  Black (A4, normal): Up to 52 ppm; Up to 61 ppm (with 49K94AAE) Colour (A4, normal): Up to 52 ppm; Up to 61 ppm (with 49K94AAE); Black (A4, duplex): Up to 52 ipm; Up to 61
Print speed <sup>6</sup>	ipm (with 49K94AAE) <b>Colour (A4, duplex)</b> : Up to 52 ipm; Up to 61 ipm (with 49K94AAE)
First page out <sup>7</sup>	<b>Black (A4, ready)</b> : As fast as 6.2 sec; As fast as 5.5 sec (with 49K94AAE) <b>Colour (A4, ready)</b> : As fast as 6.8 sec; As fast as 5.9 sec (with 49K94AAE) ; <b>Black (A4, sleep)</b> : As fast as 9.4 sec; As fast as 8.9 sec (with 49K94AAE) <b>Colour (A4, sleep)</b> : As fast as 9.9 sec; As fast as 9.6 sec (with 49K94AAE)
Print resolution	Black (best): Up to 1200 x 1200 dpi Colour (best): Up to 1200 x 1200 dpi ; Technology: HP ImageREt 4800, Fine Lines (1200x1200 dpi), Quickview (300x300 dpi)
Monthly duty cycle	Up to 180,000 pages A4; <b>Recommended monthly page volume</b> : Up to 30,000 pages
Printer smart software features	Apple AirPrint™, Mopria-certified, HP ePrint, ROAM optional for easy printing, Open Extensibility Platform, FutureSmart Firmware, Instant-on Technology, HP Auto-On/Auto-Off technology, Easy Access USB, Two-Sided Printing, Hardware Integration Pocket, Intuitive 8 in (20.3 cm) touchscreen control panel, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, print preview
Standard print languages	HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v 1.7)
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at https://www.hp.com/go/laserjetfonts
Print area	Print margins Top: 4.3 mm, Bottom: 4.3 mm, Left: 4.3 mm, Right: 4.3 mm; Maximum print area: 207.4 x 1191.4 mm
Duplex printing	Automatic
Сору	
Copy speed	<b>Black (A4)</b> : Up to 52 cpm; Up to 61 cpm (with 49K94AAE); <b>Colour (A4)</b> : Up to 52 cpm; Up to 61 cpm (with 49K94AAE)
Copier specifications	Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation, booklet, job build, edge-to-edge, job storage, ID Copy, Book Copy, A-to-B Copy (different media sizes); Maximum number of copies: Up to 9999 copies; Reduce/Enlarge: 25 to 400%
Scan	
Scan speed <sup>10</sup>	Normal (A4): Up to 76 ppm/152 ipm (b&w), up to 76 ppm/152 ipm (color); Up to 76 ppm/152 ipm (b&w), up to 76 ppm/152 ipm (color) (with 49K94AAE); Duplex (A4): Up to 152 ipm (b&w), up to 152 ipm (color); Up to 152 ipm (b&w), up to 152 ipm (color); Up to 152 ipm (b&w), up to 152 ipm (color); Up to 152 ipm (b&w), up to 152 ipm (color); Up to 152 ipm (b&w), up to 152 ipm (color); Up to 152 ipm (b&w), up to 152 ipm (color); Up to 152 ipm (b&w), up to 152 ipm (color); Up to 152 ipm (color); Up to 152 ipm (b&w), up to 152 ipm (b&w), up to 152 ipm (color); Up to 152 ipm (b&w), up to 152 ipm (color); Up to 152 ipm (b&w),
Scan file format <sup>11</sup>	PDF; PDFA; TIFF; Hi-Compression PDF; MTIFF; XPS; JPEG
Scanner specifications	Scanner type Flatbed; ADF; Scan technology: Charge Coupled Device (CCD) Flatbed; Contact Image Sensor (CIS) ADF; Scan input modes: Front panel applications: Copy; Fax; Scan to Email; Scan to Network Folder; Scan to USB; Scan to Job Storage; Open Extensibility Platform (OXP), HP Workpath applications; Twain version: Version 2.1; Duplex ADF scanning: Yes; Optical scan resolution: Up to 600 dpi
Scanner advanced features	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; Onscreen editing with highlighting, redaction and signature capabilities
Scannable area	Maximum media size (flatbed): 216 x 356 mm ; Minimum media size (ADF): 68 x 148 mm Maximum media size (ADF): 216 x 864 mm
Bit depth/ Grey scale levels	24-bit / 256
Digital sending	Standard: Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to sFTP; scan to LAN fax; scan to Internet Fax; local address book; SMTP over SSL; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview; blank page suppression; automatically straighten
Fax	
Fax <sup>4</sup>	Optional, 33.6 kbps (with optional analog fax accessory)
Fax specifications	Fax memory: Up to 1000 pages; Fax resolution: Standard: 200 x 100 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 300 x 300 dpi; Quick dialing: Up to 1000 numbers
Fax smart software features	Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule
Processor speed	1.6 GHz
Connectivity	
Standard	1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host); 1 Hi-Speed USB 2.0 (host); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2)
Optional	HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A; HP Jetdirect LAN Accessory 8FP31A
Mobile printing capability	HP ePrint; Apple AirPrint™; Mopria™ Certified; NFC Touch-to-print (optional); Roam optional
Supported network protocols	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutolP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Stateful via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPs, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional).
Hard disk	Standard, minimum 500 GB HDD; Optional, 256 GB SSD
Memory	Standard: 6 GB ;Maximum: 6 GB
Media handling	
Number of paper trays	Standard: 2 ;Maximum: up to 5
Media types	Paper (plain, light, intermediate, light bond, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy), color transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rough, opaque film, user-defined
Media size	Custom (metric): Tray 1: 2.52 x 5 to 8.5 x 47.24 in; Tray 2, optional 1x550-sheet feeders: 4 x 5.83 to 8.5 x 14 in; optional 2,100-sheet high-capacity feeder: custom sizes not supported in this tray Supported (metric): Tray 1: A4, A5, A6, RA4, B5, B6, 16k, 10 x 15 cm, Officio, postcards (JIS single and double) envelopes (DL, C5, B5, C6); Tray 2, optional 1x550-sheet feeders: A4, A5, A6, RA4, B5, B6, 10 x 15 cm, Officio, 16k, Dpostcard (JIS); optional 2,100-sheet high-capacity feeder: A4; A5 (with optional accessory) ADF: Letter; legal; officio; executive; statement; 16K; A4; RA4; A5; A6; B5; B6 (JIS); Postcard (JIS); DPostcard (JIS); 4 x 6 in; 5 x 7 in; 5 x 8 in; 68 x 147 mm to 215.9 x 863.6 mm; 2.68 x 5.79 in to 8.46 x 34 in
Media handling	Tray 1: Paper: 100 sheets of 75 g/m2 media; Envelopes: 10 Maximum: Up to 3300 sheets ADF: Standard, 150 sheets
Media weight	Tray 1: 60 to 220 g/m² (plain), 120 to 220 g/m² (glossy); Tray 2: 60 to 220 g/m² (plain), 120 to 220 g/m² (glossy); optional 550-sheet input tray: 60 to 220 g/m² (plain), 120 to 220 g/m² (glossy); optional 2,100-sheet high capacity input: 60-220 g/m² (plain)
Input capacity	Standard input: 550-sheet input tray, 100-sheet multi-purpose tray Standard output: 500-sheet output tray Optional input: optional 550-sheet input trays (up to 3), optional 2,100-sheet high capacity input
Output capacity	Standard: Up to 500 Sheets Maximum: Up to 500 Sheets

## **Technical specifications**

Model	HP Color LaserJet Enterprise MFP X677dn Printer
Product number	6QQ01A
Compatible operating systems	Windows 11; Windows 7; Windows 10; Windows Client 0S; Android; iOS; Mobile OS; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; Linux
Compatible network operating systems	SAP; Novell; UNIX; Citrix; Linux; Windows Server
Minimum system requirements	<b>Windows</b> : 2 GB available hard disk space; Internet connection; or USB port; Internet browser. For additional OS hardware requirements see microsoft.com; <b>Mac</b> : 2 GB available hard drive space; Internet connection; or USB port; Internet browser. For additional OS hardware requirements see apple.com;
Software included	No software solutions are included in the Box only on http://hp.com http://123.hp.com;
Security management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPV3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Hardware-based Memory ShieldTM with Control Flow Integrity (CFI) in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs,); Security management: Compatible with Device Security Syslog Messages processed and accessable in Arcsight and Splunk SIEMs
Printer management	HP Web JetAdmin; Embedded Web Server; HP Security Manager; HP Insights; HP Advance; HP Command Center; HP Smart Device Services (SDS); HP Smart Device Services (SDS)
Dimensions and weight	
Printer dimensions (W $\times$ D $\times$ H) <sup>12</sup>	<b>Minimum</b> 500 x 460 x 771 mm; <b>Maximum</b> : 860 x 820 x1016 mm
Package dimensions (W $\times$ D $\times$ H)	598 x 758 x 905 mm
Printer weight	~50.35 kg
Package weight	~74.6 kg
Operating environment	Temperature: 10 to 32.5°C Humidity: 30 to 70% RH
Storage conditions	Temperature: -20 to 40°C
Acoustics	Acoustic power emissions: 6.6 B(A) Acoustic pressure emissions: 55 dB(A)
Power	Requirements: Input voltage: 100V to 127V nominal (+/-10%), 50 - 60 Hz nominal (+/- 3 Hz), 12 A; Input voltage: 220V to 240V nominal (+/-10%), 50 - 60 Hz nominal (+/-), 6 A Consumption: 816 watts (Printing/Copying), 63.4 watts (Ready), 1.1 watts (Sleep), 0.1 watts (Auto Off/Manual On), 0.1 watts (Manual Off);  Typical Electricity Consumption (TEC) <sup>9</sup> : 0.849 kWh/week (Energy Star 3.0); 0.810 kWh/week (Blue Angel);  Power supply type: Built in 110V or 220 V Power Supply (not dual voltage, power supply varies by part number with option code identifier)
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology; Instant-on Copy; Power save
Certifications	UL/cUL (US/Canada); RCM (Australia); TUV and GS Mark (Germany); Department of Industrial Standards of Cambodia; Bureau of Standards, Metrology and Inspection Ministry of Economic Affairs - BSMI (Taiwan); Certificate of China Compulsory Product Certification - CCC (China); Bureau of Indian Standards - BIS Registration (India); PSB (Singapore); Eastern European country approvals; CE Marking; Other Safety & EMC Certification approvals as required by individual countries. Electromagnetic emission standard: CISPR 22:2008 (International) Class A, CISPR 32:2015 (International) Class A, EN 55032:2015 Class A + A11:2020, CISPR 35:2016 (International) / EN 55035:2017 + A11:2020, EN IEC 61000-3-2:2019, EN 61000-3-3:2013+A1:2019 + A2:2021, FCC 47 CFR Part 15 Class A, ICES-003, Issue 7 Class A. Other EMC approvals as required by individual countries. CECP; Blue Angel; TE CG Declaration; SEPA; EPEAT® Gold registered; KOECO Blue Angel Compliant® Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies
Sustainable impact specifications	15% post-consumer recycled plastic; ENERGY STAR® certified; EPEAT® registered
Country of origin	Made in Czech Republic
What's in the box <sup>1</sup>	6QQ01A HP Color Laser Jet Enterprise MFP X677dn Printer; HP Black Original Laser Jet Toner Cartridge (~9,000 yield), HP Cyan, Magenta and Yellow Original Laser Jet Toner Cartridges (~5,000 yield each) (toner cartridges installed); Documentation (Hardware Install Guide); Power cord; Tray Lock Kit (Paper-size cassette locks, paper tray interface screws, P-cartridge door access control screws)
Warranty	Value is confirmed One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://hp.com/support to learn about HP award winning service and support options in your region.

### **Footnotes**

<sup>1</sup> Not all MFPs may be compatible with Workpath apps. To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Not all apps may be available in all locations. Subscription may be required. Personalized content and integration functions are applicable to supported HP Workpath apps only. <sup>2</sup> Targeted fusing technology comes standard on the 6000/K900 series bundles and is offered as an optional service part on the 5000/X500 series. <sup>3</sup> Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. Measured using standards found at: http://standards.iso.org/ittf/PubliclyAvailableStandards/SC28\_Test\_Pages/ <sup>4</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>5</sup> HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2022 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: hp.com/go/PrintersThatProtect. For more information, visit: http://www.hp.com/go/Printerscrityclaims. <sup>6</sup> Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf. <sup>8</sup> Contact your HP or your Partner Representative to learn m

### Technical specifications disclaimers

<sup>1</sup> For yield information on the cartridge(s) included with your printer, see https://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. <sup>2</sup> Declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see https://www.hp.com/go/toneryield <sup>3</sup> EPEAT® registered where applicable. EPEAT registration varies by country. See https://www.epeat.net for registration status by country. <sup>4</sup> Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory. <sup>5</sup> Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see https://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>7</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see https://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>7</sup> Measured using ISO/IEC 17629. For more information see https://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>8</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device and 230V for Blue Angel. <sup>9</sup> Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh). <sup>10</sup> Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and appl

