HP Color LaserJet Managed MFP E47528f



Small and mighty: HP's smallest Enterprise MFP

HP Managed MFPs and printers are optimised for managed environments. With increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copying costs. See your HP Authorized Reseller for details.



This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds



Easy to use, simple to manage

- HP FutureSmart firmware can be updated with the latest features¹ to optimise your investment for years to come.
- Centralise control of your printing environment with HP Web Jetadmin and help build business efficiency.²
- Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like icons.
- Set up this MFP fast, and easily manage device settings to help increase efficiency.

The world's most secure printing³

- The operating code (BIOS) is automatically checked during startup and repairs itself if compromised.
- Common Criteria certified⁴ to continually monitor memory activity to detect and stop attacks in real time.
- Firmware is automatically checked during startup to determine if it's authentic code digitally signed by HP.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware.
- Safeguard data stored on this MFP keys, passwords, certificates, and more with the embedded HP Trusted Platform Module.⁵

Enhanced productivity to empower work teams

- Give workgroups what they need to succeed with hundreds of HP and third-party solutions and card reader support.
- Optimise workflows, reduce steps and errors, and support mobile workers with optional MFP apps that meet your specific business needs.
- Help ensure the security of confidential information with PIN/Pull printing to retrieve print jobs.
- Stay connected with an optional accessory for wireless,⁶ Bluetooth® Low Energy, and NFC touch-to-print.
- Easily manage projects directly at the MFP with a customisable 10.9 cm (4.3 inch) colour touchscreen.

Sustainability is smart business

- Help save paper right out of the box. Two-sided (duplex) printing is set at default for automatic savings.⁷
- Help reduce wasted paper and toner by only printing jobs that are truly needed, using HP Roam for Business.⁸
- Save energy without sacrificing performance this MFP is ENERGY STAR® and Blue Angel certified.
- Remove barriers and help meet compliance and accessibility standards with the HP
 Accessibility Kit (includes Braille overlay and tactile adhesives, an HP Access Handle, and
 BigKeys LX Keyboard) and compatibility with HP Accessibility Assistant.⁹

Product walkaround

HP Color LaserJet Managed MFP E47528f shown

- 1. 10.9 cm colour touchscreen
- 2. Easy-access USB port
- 3. 150 sheet output bin
- 4. Automatic two-sided printing (default)
- 5. Front door, access to Original HP Toner cartridges with JetIntelligence
- 6. 50 sheet multipurpose input tray 1
- 7. 250 sheet input tray 2
- 8. 50 sheet automatic document feeder (ADF)
- 9. Right door, access to print path
- 10. Convenient front on/off switch
- 11. Hi-Speed USB 2.0 port for third-party devices
- 12. Hi-Speed USB 2.0 printing port
- 13. Gigabit Ethernet network port



Accessories, Supplies and Support

Supplies	W9090MC HP Black Managed Original LaserJet Toner Cartridge (~8,600 pages) W9091MC HP Cyan Managed Original LaserJet Toner Cartridge (~6,900 pages) W9092MC HP Yellow Managed Original LaserJet Toner Cartridge (~6,900 pages) W9093MC HP Magenta Managed Original LaserJet Toner Cartridge (~6,900 pages)
Accessories	2TD64A HP Accessibility Kit
	3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory
	4QL32A HP Legic Secure USB Reader
	8FP31A HP Jetdirect LAN Accessory
	8ZN00A HP HIP2 Card Reader Accessory Kit
	B5L31A HP Foreign Interface Harness
	CF404A HP LaserJet 550-sheet Feeder Tray
	X3D03A HP USB Universal Card Reader
	Y7C05A HP HIP2 Keystroke Reader
Service and Support	U11VKE HP 3 year Next Business Day Color LaserJet Managed MFP E47528 service U11VLE HP 4 year Next Business Day Color LaserJet Managed MFP E47528 service U11VME HP 5 year Next Business Day Color LaserJet Managed MFP E47528 service U11VSE HP 3 year Channel Parts Only Color LaserJet Managed MFP E47528 service U11VTE HP 4 year Channel Parts Only Color LaserJet Managed MFP E47528 service U11VVE HP 5 year Channel Parts Only Color LaserJet Managed MFP E47528 service U11VVE HP 1 year Post Warranty Next Business Day Color LaserJet Managed MFP E47528 service U11VXPE HP 2 year Post Warranty Next Business Day Color LaserJet Managed MFP E47528 service U11DPPE HP 1 year Post Warranty Channel Parts Only Color LaserJet Managed MFP E47528 service U11VPPE HP 2 year Post Warranty Channel Parts Only Color LaserJet Managed MFP E47528 service

Technical specifications

Model	HP Color Laser Jet Managed MFP E47528f
Product number	30,475.4
Functions	Print, copy, scan, fax 10.9 cm Colour Capacitive Touch Control Panel
Control panel Print	10.5 dm colour capacitive rouch control Panel
Print technology	Laser
Print speed ¹	Black (A4, normal): Up to 27 ppm Colour (A4, normal): Up to 27 ppm; Black (A4, duplex): Up to 24 ipm Colour (A4, duplex): Up to 24 ipm
First page out ²	Black (A4, ready): As fast as 9.5 sec Colour (A4, ready): As fast as 11.0 sec; Black (A4, sleep): As fast as 11.0 sec Colour (A4, sleep): As fast as 12.1 sec
Print resolution	Black (best): Up to 600 x 600 dpi (Colour (best): Up to 600 x 600 dpi ; Technology: HP ImageREt 3600, Enhanced (600x600 dpi), Fine Lines (1200x1200 dpi), Quickview (300x300 dpi)
Monthly duty cycle	Up to 65,000 pages A4; Recommended monthly page volume 1,500 to 7,500
Printer smart software features Standard print languages	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB HP PCL 6, HP PCL 5, HP PostScript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™
	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP PostScript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts
Fonts and typefaces	(Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts
Print area	Print margins Top: 2 mm, Bottom: 2 mm, Left: 2 mm, Right: 2 mm; Maximum print area : 212 x 352 mm
Duplex printing Copy	Automatic (default)
Copy speed	Black (A4): Up to 27 cpm; Colour (A4): Up to 27 cpm
Copier specifications	Two-sided copying; Scalability; Image adjustments (darkness, contrast, background cleanup, sharpness); N-up; N or Z-ordering; Content orientation; Collation; Booklet; Job build; Edge-to-edge; Job storage; ID Copy; Book
	Copy; A-to-B Copy (different media sizes); Maximum number of copies: Up to 9999 copies; Reduce/Enlarge: 25 to 400%
Scan speed ³	Normal (A4): Up to 29 ppm/46 ipm (black and white), up to 20 ppm/35 ipm (colour); Duplex (A4): Up to 46 ipm (black and white), up to 35 ipm (colour)
•	Scanner type Flatbed, ADF; Scan technology: Contact Image Sensor (CIS): Nain version: Version 2.1; Duples ADF scanning: Yes, single pass duplex scanning; Scan steb mology: Contact Image Sensor (CIS): Nain version: Version 2.1; Duples ADF scanning: Yes, single pass duplex scanning; Scan stee maximum (flatbed, ADF): 216 x 297 mm; Optical scan
Scanner specifications	resolution: up to 600 dpi
Scanner advanced features	Optimise text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge Erase; Job notification; Blank page suppression; HP Quick Sets
Recommended monthly scan volume	900 to 4800
Scannable area	Maximum media size (flatbed): 216 x 297 mm ; Minimum media size (ADF): 127 x 178 mm Maximum media size (ADF): 216 x 356 mm
Bit depth/ Grey scale levels	24-bit / 256
Digital sending	Standard: Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Scan-to-Sharepoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF
Fax	
Fax ⁴	Yes, 33.6 kbps
Fax specifications	Fax memory: Dependent on the amount of available disk space; Fax resolution: Standard: 203 x 98 dpi; Fine: Up to 203 x 196 dpi; 256 levels of gray; Superfine: Up to 300 x 300 dpi; Quick dialing: Up to 1000 numbers
Fax smart software features	Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule
Processor speed Connectivity	800 MHz
Standard	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 FAX
Optional	HP Jetdirect LAN Accessory 8FP31A, HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A
Mobile printing capability ⁵	HP ePrint; Apple AirPrint™, Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); Roam capable for easy printing; PrinterOn Print
Supported network protocols	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD, Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPS, Syslog; Security: SNMPv3, SSL Cert Management, IPSec(IKEv1 and IKEv2), Firewall, 802.1x
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (Optional); Second Ethernet port (Optional).
Hard disk	Not available
Memory	Not available Standard: 2 GB; Maximum: 2 GB
Memory Media handling	Standard: 2 GB ;Maximum: 2 GB
Memory Media handling Number of paper trays	Standard: 2 GB ;Maximum: 2 GB Standard: 2 ;Maximum: 3
Memory Media handling	Standard: 2 GB; Maximum: 2 GB Standard: 2; Maximum: 3 Paper (bond, brochure, coloured, glossy, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 98 x 148 to 216 x 356 mm; Optional Tray: 98 x 148 to 216 x 356 mm Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, CS ISO, C6, DL ISO); Custom: 76 x 127 to 216 x 356 mm; Tray 2: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; B6 (JIS); 10 x 15 cm; A6; B6 (JIS); 10 x 15 cm; A6; B6 (JIS); 10 x 15 cm;
Memory Media handling Number of paper trays Media types Media size	Standard: 2 GB; Maximum: 2 GB Standard: 2; Maximum: 3 Paper (bond, brochure, coloured, glossy, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 98 x 148 to 216 x 356 mm; Optional Tray: 98 x 148 to 216 x 356 mm Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, CS ISO, C6, DLI SOI); Custom: 76 x 127 to 216 x 356 mm; Tay 2: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm, A6, 16K, 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm, A6, 16K; 98 x
Memory Media handling Number of paper trays Media types Media size Media handling	Standard: 2; Maximum: 3 Paper (bond, brochure, coloured, glossy, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 98 x 148 to 216 x 356 mm; Optional Tray 3: 43, 84, 84, 85, 85 (JIS), 86 (JIS), 10 x 15 cm, A6, 16K, envelopes (BS, C.S ISO, G. D. LISO); Custom: 76 x 127 to 216 x 356 mm; Tray 2: 44; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm, A6; 16K, 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); To x 15 cm; A6; 16K, 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 Standard input: 50 sheet multipurpose tray, 250 sheet input tray Standard output: 150 sheet output bin Optional input: Optional 550 sheet tray; All trays include fixed-size paper tray guides ADP: Standard, 50 sheets Tray 1: 60 to 176 g/m² (up to 200 g/m² HP Color laser glossy photo papers); Tray 2: 60 to 163 g/m² (up to 276 g/m² with postcards, up to 200 g/m² HP Color laser glossy photo papers); Optional Tray 3:
Memory Media handling Number of paper trays Media types Media size Media handling Media weight	Standard: 2: Maximum: 3 Paper (bond, brochure, coloured, glossy, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Tray 1: 76 x 127 to 2: 16 x 356 mm; Tray 2: 98 x 148 to 216 x 356 mm; Optional Tray: 98 x 148 to 216 x 356 mm Supported (metric): Tray 1: 44, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, CS 150, C6, DL ISO); Custom: 76 x 127 to 2: 16 x 356 mm; Tray 2: 44; RA4; A5; B5 (JIS), B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 2: 16 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS), B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 2: 16 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS), B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 2: 16 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS), B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 2: 16 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS), B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 2: 16 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS), B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 2: 16 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS), B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 2: 16 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS), B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 2: 16 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS), B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 2: 16 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS), B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 2: 16 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS), B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 2: 16 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS), B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 2: 16 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS), B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 2: 16 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS), B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 2: 16 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS), B6 (JIS), 10 x 15 cm; A6; 16K; 98 x 148 to 2: 16 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS), B6 (JIS)
Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity	Standard: 2 (B.; Maximum: 2 GB Standard: 2; Maximum: 3 Paper (bond, brochure, coloured, glossy, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 98 x 148 to 216 x 356 mm; Optional Tray: 98 x 148 to 216 x 356 mm Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, CS ISO, C6, DL ISO); Custom: 76 x 127 to 216 x 356 mm; Tray 2: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS);
Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity	Standard: 2: Maximum: 3 Paper (bond, brochure, coloured, glossy, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Tray 1: 76 x 127 to 2: 16 x 356 mm; Tray 2: 98 x 148 to 216 x 356 mm; Optional Tray: 98 x 148 to 216 x 356 mm Supported (metric): Tray 1: 44, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, CS 150, C6, DL ISO); Custom: 76 x 127 to 2: 16 x 356 mm; Tray 2: 44; RA4; A5; B5 (JIS), B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 2: 16 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS), B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 2: 16 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS), B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 2: 16 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS), B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 2: 16 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS), B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 2: 16 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS), B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 2: 16 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS), B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 2: 16 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS), B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 2: 16 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS), B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 2: 16 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS), B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 2: 16 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS), B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 2: 16 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS), B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 2: 16 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS), B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 2: 16 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS), B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 2: 16 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS), B6 (JIS), 10 x 15 cm; A6; 16K; 98 x 148 to 2: 16 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS), B6 (JIS)
Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating	Standard: 2 (BB, Maximum: 2 GB Standard: 2 (Maximum: 3 Paper (Bond, brochure, coloured, glossy, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 98 x 148 to 216 x 356 mm; Optional Tray: 98 x 148 to 216 x 356 mm Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, CS ISO, C6, DL ISO); Custom: 76 x 127 to 216 x 356 mm; Tray 2: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6
Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems	Standard: 2 (B.; Maximum: 2 GB Standard: 2; Maximum: 3 Paper (bond, brochure, coloured, glossy, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 98 x 148 to 216 x 356 mm; Optional Tray: 98 x 148 to 216 x 356 mm Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K, envelopes (85, CS ISO, C6, DLI SO); Custom: 76 x 127 to 216 x 356 mm; Tray 2: 44; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JI
Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating	Standard: 2 (BB, Maximum: 2 GB Standard: 2 (Maximum: 3 Paper (bond, brochure, coloured, glossy, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 98 x 148 to 216 x 356 mm; Optional Tray: 98 x 148 to 216 x 356 mm; Optional Tray: 98 x 148 to 216 x 356 mm; Optional Tray: 98 x 148 to 216 x 356 mm; Optional Tray: 4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray: 4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray: 4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray: 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray: 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray: 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray: 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray: 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray: A1; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray: A1; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray: A1; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray: A1; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray: A1; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray: A1; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray: A1; RA4; A5; B5 (JIS); B6 (
Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems	Standard: 2:Maximum: 3 Paper (bond, brochure, coloured, glossy, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 98 x 148 to 216 x 356 mm; Optional Tray: 98 x 148 to 216 x 356 mm; Optional Tray: 98 x 148 to 216 x 356 mm; Optional Tray: 98 x 148 to 216 x 356 mm; Optional Tray: 98 x 148 to 216 x 356 mm; Optional Tray: 0.6 of, DLSO); Custom: 76 x 127 to 216 x 356 mm; Tray 2: 84; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray: 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray: 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray: 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray: 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray: 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray: 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray: 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray: A4; A6; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray: A4; A6; A6; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray: A4; A6; A6; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray: A4; A6; A6; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray: A4; A6; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray: A4; A6; B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray: A4; A6; B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray: A4; A6; B6 (JIS); A6;
Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements	Standard. 2 (B. Maximum: 3 Paper (bond, brochure, coloured, glossy, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 98 x 148 to 216 x 356 mm; Optional Tray: 98 x 148 to 216 x 356 mm Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, CS ISO, C6, DL ISO); Custom: 76 x 127 to 216 x 356 mm; Tray 2: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm, Optional Tray 3: A4; RA4; A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm, Optional Tray 3: A4; RA4; A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm, Optional Tray 3: A4; RA4; A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm, Optional Tray 3: A4; RA4; A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS); B6 (J
Memory Media handling Number of paper trays Media types Media size Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included	Standard. 2 (B. ;Maximum: 3 Paper (bond, brochure, coloured, glossy, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 98 x 148 to 216 x 356 mm; Optional Tray: 98 x 148 to 216 x 356 mm Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, CS 150, C6, DL 150); Custom: 76 x 127 to 216 x 356 mm; Tray 2: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B6 (JIS); B6 (JIS); B6 (JIS); B6 (JIS); B6 (JIS); B6 (JIS
Memory Media handling Number of paper trays Media types Media size Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management	Standard: 2; Maximum: 3 Paper (bond, brochure, coloured, glossy, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 98 x 148 to 216 x 356 mm; Optional Tray; 98 x 148 to 216 x 356 mm; Optional Tray; 98 x 148 to 216 x 356 mm; Optional Tray; 98 x 148 to 216 x 356 mm; Optional Tray; 98 x 148 to 216 x 356 mm; Optional Tray; 98 x 148 to 216 x 356 mm; Optional Tray; 1: 76 x 127 to 216 x 356 mm; Tray 2: 44; RA4; 5, 55 (JIS); 86 (JIS); 10 x 15 cm; 46; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: 44; RA4; 45, 55 (JIS); 86 (JIS); 10 x 15 cm; 46; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: 44; RA4; 45, 55 (JIS); 86 (JIS); 10 x 15 cm; 46; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: 44; RA4; 45, 55 (JIS); 86 (JIS); 10 x 15 cm; 46; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: 44; RA4; 45, 55 (JIS); 86 (JIS); 10 x 15 cm; 46; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: 44; RA4; 45, 55 (JIS); 86 (JIS); 10 x 15 cm; 46; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: 44; RA4; 45, 55 (JIS); 86 (JIS); 10 x 15 cm; 46; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: 44; RA4; 45, 55 (JIS); 86 (JIS); 10 x 15 cm; 46; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: 44; RA4; 45, 55 (JIS); 86 (JIS); 10 x 15 cm; 46; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: 44; RA4; 45, 55 (JIS); 86 (JIS); 10 x 15 cm; 46; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: 44; RA4; 45, 55 (JIS); 86 (JIS); 10 x 15 cm; 46; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: 44; RA4; 45, 55 (JIS); 86 (JIS); 10 x 15 cm; 46; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: 44; RA4; 45, 55 (JIS); 86 (JIS); 10 x 15 cm; 46; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: 44; RA4; 45, 55 (JIS); 86 (JIS); 10 x 15 cm; 46; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: 44; 46K; 46K; 98 x 148 to 216 x 356 mm; Optional Tray 3: 46 x 148 to 216 x 356 mm; Optional Tray 3: 46 x 148 to 216 x 356 mm; Optional Tray 3: 46 x 148 to 216 x 356 mm; Optional Tray 3: 46 x 148 t
Memory Media handling Number of paper trays Media types Media size Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management	Standard. 2 (B. ;Maximum: 3 Paper (bond, brochure, coloured, glossy, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 98 x 148 to 216 x 356 mm; Optional Tray: 98 x 148 to 216 x 356 mm Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, CS 150, C6, DL 150); Custom: 76 x 127 to 216 x 356 mm; Tray 2: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5, B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B6 (JIS); B6 (JIS); B6 (JIS); B6 (JIS); B6 (JIS); B6 (JIS
Memory Media handling Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight	Standard: 2 (B. ;Maximum: 3 Paper (bond, brochure, coloured, glossy, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; par. 2: 98 x 148 to 216 x 356 mm; Optional Tray: 98 x 148 to 216 x 356 mm; O
Memory Media handling Number of paper trays Media handling Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment	Standard: 2 (B. ;Maximum: 3 Paper (bond, brochure, coloured, glossy, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Tray 1: 76 x 127 to 2 16 x 356 mm; party: 2: 98 x 148 to 2 16 x 356 mm; potional Tray: 98 x 148 to 2 16 x 356 mm; potional Tray: 98 x 148 to 2 16 x 356 mm; potional Tray: 98 x 148 to 2 16 x 356 mm; potional Tray: 98 x 148 to 2 16 x 356 mm; potional Tray: 98 x 148 to 2 16 x 356 mm; potional Tray: 98 x 148 to 2 16 x 356 mm; potional Tray: 40 x 16 x 40 x 16 x 1
Memory Media handling Number of paper trays Media types Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions	Standard: 2 (B. ;Maximum: 3 Paper (bond, brochure, coloured, glossy, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Tray 1: 76 x 127 to 2 16 x 356 mm; Tray 2: 98 x 1 48 to 2 16 x 356 mm; Optional Tray; 98 x 148 to 2 16 x 356 mm; Supported (metric): Tray 1: A4, RA4, A5, B5 (IIS), B6 (IIS), 10 x 15 cm, A6, 16K, envelopes (B5, CS SOC, Go, LL ISO), Customer 7 6 x 127 to 2 16 x 356 mm; Capt 2-A4, RA4, A5, B5 (ISS), B6 (I
Memory Media handling Number of paper trays Media handling Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment	Standard: 2 (B. (Maximum: 2 GB) Standard: 2 (Maximum: 3 Paper (bond, brochure, coloured, glossy, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Tray: 1:76 x 127 to 216 x 356 mm; Tray: 2:98 x 148 to 216 x 356 mm; Optional Tray: 98 x 148 to 216 x 356 mm; Optional Tray: 98 x 148 to 216 x 356 mm; Optional Tray: 98 x 148 to 216 x 356 mm; Optional Tray: 98 x 148 to 216 x 356 mm; Optional Tray: 98 x 148 to 216 x 356 mm; Optional Tray: 48, R44, R45, B5 (US); B6 (US); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray: 48, R44, R45, B5 (US); B6 (US); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray: 48, R44, R45, B5 (US); B6 (US); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray: 50 sheet input: 49 x 364; R44, R45; B5 (US); B6 (US); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray: 50 sheet input: 49 x 364; R45; B5 (US); B6 (US); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray: 50 sheet input: 49 x 364; A6; B5 (US); B6 (US); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray: 50 x 364; A6; A6; B5 (US); B6 (US); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray: 50 x 364; A6; B5 (US); B6 (US); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray: 50 x 364; A6; B5 (US); B6
Memory Media handling Number of paper trays Media types Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions	Standard 2 (8) Maximum: 2 (8) Standard 2 (9) Maximum: 2 (8) Standard 2 (9) Maximum: 3 Paper (bond, Drochure, coloured, glossy, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric). Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 98 x 148 to 216 x 356 mm; Optional Tray 3: 44, RA4, A5, B5 (US), B6 (US), 10 x 15 cm, A6, 16K, envelopes (B5, C5 SO, C6, OL ISO); Custom: 76 x 127 to 216 x 356 mm; Tray 2: 98 x 148 to 216 x 356 mm; Optional Tray 3: 44; RA4, A5, B5 (US), B6 (US), 10 x 15 cm, A6, 16K, envelopes (B5, C5 SO, C6, OL ISO); Custom: 76 x 127 to 216 x 356 mm; Tray 2: 98 x 148 to 216 x 356 mm; Optional Tray 3: 44; RA4, A5, B5 (US), B6 (US), 10 x 15 cm, A6, 16K, 98 x 148 to 216 x 356 mm; Optional Tray 3: 44; RA4, A5, B5 (US), B6 (US), 10 x 15 cm, A6, 16K, 98 x 148 to 216 x 356 mm; Optional Tray 3: 44; RA4, A5, B5 (US), B6 (US), 10 x 15 cm, A6, 16K, 98 x 148 to 216 x 356 mm; Optional Tray 3: 44; RA4, A5, B5 (US), B6 (US), 10 x 15 cm, A6, 16K, 98 x 148 to 216 x 356 mm; Optional Tray 3: 44; RA4, A5, B5 (US), B6 (US), 10 x 15 cm, A6, 16K, 98 x 148 to 216 x 356 mm; Optional Tray 3: 44; RA4, A5, B5 (US), B6 (US), 10 x 15 cm, A6, 16K, 98 x 148 to 216 x 356 mm; Optional Tray 3: 44; RA4, A5, B5 (US), B6 (US), 10 x 15 cm, A6, 16K, 98 x 148 to 216 x 356 mm; Optional Tray 3: 44; RA4, A5, B5 (US), B6 (US), 10 x 15 cm, A6, 16K, 98 x 148 to 216 x 356 mm; Optional Tray 3: 44; RA4, A5, B5 (US), B6 (US), 10 x 15 cm, A6, 16K, 98 x 148 to 216 x 356 mm; Optional Tray 3: 44; RA4, A5, B5 (US), B6 (US), 10 x 15 cm, A6, 16K, 98 x 148 to 216 x 356 mm; Optional Tray 3: 44; RA4, A5, B5 (US), B6 (US), 10 x 15 cm, A6, 16K, 98 x 148 to 216 x 356 mm; Optional Tray 3: 44; RA4, A5, B5 (US), B6
Memory Media handling Number of paper trays Media types Media types Media size Media size Media handling Media weight Input capacity Output capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Dimensions and weight Printer management Dimensions and weight Printer weight Operating environment Storage conditions Acoustics	Standard: 2 (B. Maximum: 2 (B. Standard: 2 (Maximum: 2 (B. Standard: 2 (Maximum: 3 (B. Standard: 3 (B.
Memory Media handling Number of paper trays Media handling Media types Media size Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics	Standard: 2 (36) Maximum: 2 (36) Standard: 2 (Maximum: 2 (36) Standard: 2 (Maximum: 3 (36) Standard: 2 (Maximum: 3 (36) Standard: 3 (Maximum: 3 (36) Standard: 3 (Maximum: 3 (36) Standard: 4 (Maximum: 3 (36) St
Memory Media handling Number of paper trays Media handling Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology	Standard 2 (36) Maximum: 2 (36) Standard 2 (3Maximum: 3) Paper Blond, brock-lve, coloured, glossy, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (frentic): Tray 1: 76 x 127 to 2 16 x 356 mm; Tray 2: 98 x 148 to 2 16 x 356 mm; Custom (frentic): Tray 1: 76 x 127 to 2 16 x 356 mm; Tray 2: 98 x 148 to 2 16 x 356 mm; Tray 3: 74 x 164 to 2 16 x 356 mm; Tray 2: 98 x 148 to 2 16 x 356 mm; Tray 2: 98 x 148 to 2 16 x 356 mm; Tray 2: 98 x 148 to 2 16 x 356 mm; Tray 2: 98 x 148 to 2 16 x 356 mm; Tray 2: 98 x 148 to 2 16 x 356 mm; Tray 2: 64 to 16 x 356 mm; Tray 2: 64 x 16 x 356 mm; Tray 2: 64 to 16 x 36 mm; Tray 3: 64 to 16 x 36 mm; Tray 3: 64 to 16 x 36 mm; Tray 1: 64 to 17 x 30 mm; Tray 1: 64 to 18 x 30 mm; Tray 1:
Memory Media handling Number of paper trays Media handling Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Dimensions and weight Printer management Dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology	Standard 2 (38 Maximum 3 G) Sandard 2 Maximum 4 G) Sandard 2 Maximum 4 G) Sandard 3 Maximum 4 G) Sandard 4 Maximum
Memory Media handling Number of paper trays Media handling Media types Media size Media size Media handling Media weight Input capacity Compatible operating systems Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Dimensions and weight Printer dimensions (W x D x H) Printer dimensions Acoustics Power Energy savings feature technology Certifications ⁷ Sustainable impact specifications	Standard 2 GB Maximum 3 GB Standard 2 Maximum 2 GB Standard 2 Maximum 3 GB Standard 2 Maximum 3 GB Standard 1 Maximum 3 GB Tray 1 Standard 1 Maximum 3 GB Tray 1 Standard 1 Maximum 3 GB Standard 1 Maximum 3 GB Tray 1 Standard 1 Maximum 3 GB Tray 1 Standard 1 Maximum 3 GB Standard 1 Maxi
Memory Media handling Number of paper trays Media types Media types Media size Media size Media handling Media weight Input capacity Compatible operating systems Compatible operating systems Compatible network operating systems Minimum system requirements Software included Security management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology Certifications ⁷ Sustainable impact specifications Country of origin	Standard 2 (36 Maximum 3 GB Sandard 2 Maximum 4 GB Sandard 2 Maximum 4 GB Sandard 3 Maximum 4 GB Sandard 4 Maximum 4 GB S

Footnotes

- 1 Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.
- ² HP Web Jetadmin is free and available for download at http://www.hp.com/go/webjetadmin.
- ³ HP's most advanced embedded security features are available on HP Enterprise and HP Managed devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2019 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit http://www.hp.com/go/PrinterSThatProtect. For more information, visit http://www.hp.com/go/PrinterSecurityClaims.
- ⁴ Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019. Certification applicable to HP Enterprise and Managed devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf.
- ⁵ Use of the HP Trusted Platform Module may require a firmware upgrade.
- ⁶ Wireless performance is dependent on physical environment and distance from access point and may be limited during active VPN connections.
- ⁷ Dependent upon country setup specifications.
- ⁸ To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit http://www.hp.com/go/roam.
- ⁹ Firmware upgrade required.

Technical specifications disclaimers

- ¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- document complexity.

 ² First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 29183, Duplex Copy Speed measured using ISO/IEC 24735, excludes first set of test documents. For more information see
- http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, document complexity, media size, media orientation and media type.
- 3 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
 4 To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Customers can purchase the HP Jetdirect 3100w BLE/NFC/Wireless accessory or the RadBeacon USB. Subscription may be required. For more information, visit http://www.hp.com/go/roam.
- ⁵ To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Customers can purchase the HP Jetdirect 3100w BLE/NFC/Wireless accessory or the RadBeacon USB. Subscription may be required. For more information, visit http://www.hp.com/go/roam.
- ⁶ Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).
- ⁷ EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.
- ⁸ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device and 230V for Blue Angel.
- ⁹ For yield information on the cartridge(s) included with your printer, see http://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors.

itorial