



# HP LaserJet Managed E50145dn

## Redefine long-term expectations

Choose an HP LaserJet Enterprise printer designed to handle business solutions securely and efficiently, and helps conserve energy with HP JetIntelligence toner. Keep up with the demands of growing business with a printer you can rely on.



Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. Learn more at: <http://www.hp.com/go/learnaboutsupplies>



Low energy



Color touchscreen



HP JetAdvantage compatible

## The world's most secure printing<sup>1</sup>

- Each printer in your fleet checks its operating code and repairs itself from attacks.
- Your printer's outgoing network connections are inspected to stop suspicious requests and thwart malware.
- Memory activity is monitored to continually detect and stop attacks.
- Firmware is automatically checked during startup to determine if it's authentic code – digitally signed by HP.

## Low costs, low energy use

- Avoid frustrating reprints, wasted supplies, and service calls using Original HP Toner cartridges.
- Spend less time replacing toner, and more on business. Choose optional high-yield toner cartridges.<sup>2</sup>
- Save energy – intelligent power features prepare you to print right away, and turn your unused printer off.<sup>3</sup>
- This printer fits in tight places to boost performance in almost any workspace.

## A whole fleet at your control

- Centralise control of your printing environment with HP Web Jetadmin<sup>4</sup> – and help build business efficiency.
- Gain insights into print costs, behaviors, utilization to drive efficiencies with this cloud-based printer.
- Set security configuration policies and automatically validate settings for every HP printer in your fleet.<sup>5</sup>


## Enhanced productivity keeps business moving

- Print effortlessly from any device, virtually anywhere, to any HP printer – securely through the cloud.<sup>2</sup>
- Scan files directly to Microsoft® Office and SharePoint, plus email, USB, and network folders.<sup>6</sup>
- Easily print from a variety of smartphones and tablets – generally no setup or apps required.<sup>7</sup>
- Don't wait for documents. Print your first page in as little as 10 seconds from energy-efficient sleep mode.

Product walkaround

HP LaserJet Managed E50145dn printer shown

- 1. 2nd generation Hardware Integration Pocket
- 2. Easy-access USB port
- 3. Top cover release button
- 4. 100 sheet multipurpose tray 1 supports media sizes up to 216 x 356 mm
- 5. 10.9 cm colour touchscreen
- 6. 250 sheet output bin
- 7. Top cover (access to Original HP JetIntelligence Toner cartridge)
- 8. Automatic two-sided printing
- 9. 550 sheet input tray 2 supports media sizes up to 216 x 356 mm
- 10. Slot for cable-type security lock
- 11. Gigabit Ethernet, Host USB port
- 12. Hi-Speed USB 2.0 printing port
- 13. USB port for connecting external USB devices



Accessories, Supplies and Support

Accessories	2MU47A HP Accessibility Assistant
	2NR12A HP Removable Hard Drive Enclosure
	3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory
	B5L28A HP Internal USB Ports
	B5L29A HP High-Performance Secure Hard Disk
	F2A72A HP LaserJet 550-sheet Paper Tray
	F2A73A HP LaserJet Printer Cabinet
	G6W84A HP 1 GB 90-pin DDR3 DIMM
	J8030A HP Jetdirect 3000w NFC/Wireless Accessory
Service and Support	J8031A HP Jetdirect 2900nw Print Server
	UB7E7E HP 3 years Next Business Day with Defective Media Retention for LaserJet Enterprise E50145 Managed service
	UB7E8E HP 4 years Next Business Day with Defective Media Retention for LaserJet Enterprise E50145 Managed service
	UB7E9E HP 5 years Next Business Day with Defective Media Retention for LaserJet Enterprise E50145 Managed service
	UB7F6PE HP 1 year Post Warranty Next Business Day with Defective Media Retention for LaserJet Enterprise E50145 Managed service
	UB7F7PE HP 2 years Post Warranty Next Business Day with Defective Media Retention for LaserJet Enterprise E50145 Managed service

## Technical specifications

<b>Model</b>	HP LaserJet Managed E50145dn
<b>Product number</b>	1PU51A
<b>Functions</b>	Print
<b>Control panel</b>	10.92 cm (4.3 in) Colour Graphics Display (CGD) with touchscreen; Rotating (adjustable angle) display; Home button
<b>Print</b>	
Print technology	Laser
Print speed <sup>1</sup>	<b>Black (A4, normal):</b> Up to 43 ppm; <b>Black (A4, duplex):</b> Up to 34 ipm;
First page out <sup>2</sup>	<b>Black (A4, ready):</b> As fast as 5.9 sec; <b>Black (A4, sleep):</b> As fast as 10 sec;
Print resolution	<b>Black (best):</b> Up to 1200 x 1200 dpi; <b>Technology:</b> 300 dpi, 600 dpi, HP FastRes 1200, HP ProRes 1200;
Monthly duty cycle <sup>3</sup>	Up to 150,000 pages A4; <b>Recommended monthly page volume</b> <sup>4</sup> : 2,000 to 15,000
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB
Standard print languages	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at <a href="http://www.hp.com/go/laserjetfonts">http://www.hp.com/go/laserjetfonts</a>
Print area	<b>Print margins</b> Top: 4.3 mm, Bottom: 4.3 mm, Left: 4.3 mm, Right: 4.3 mm; Maximum print area : 212 x 352 mm
Duplex printing	Automatic (standard)
<b>Processor speed</b>	1.2 GHz
<b>Connectivity</b>	
Standard	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network
Optional	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional); second Ethernet port (optional)
Mobile printing capability <sup>5</sup>	Apple AirPrint™; Google Cloud Print™; HP ePrint; Mopria™ Certified; ROAM capable for easy printing
Supported network protocols	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPS, Telnet, TFTP Config, Syslog; Security: SNMPv3, SSL Cert Management, IPsec/Firewall, ACL, 802.1x
Network capabilities	HP Jetdirect 2900nw Print Server J8031A, HP Jetdirect 3000w NFC/Wireless Accessory J8030A, HP Jetdirect 3100w BLE/NFC/Wireless
<b>Hard disk</b>	Optional, 500 GB minimum encrypted hard disk drive
<b>Memory</b>	<b>Standard:</b> 512 MB; <b>Maximum:</b> 1.5 GB, MAX memory, when 1 GB Accessory DIMM is installed
<b>Media handling</b>	
Number of paper trays	<b>Standard:</b> 2; <b>Maximum:</b> 5
Media types	Paper (bond, colour, plain, preprinted, prepunched, recycled, rough); Envelopes; Labels; Cardstock; Transparencies; User-defined
Media size	<b>Custom (metric):</b> Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2: 105 x 148 to 215.9 x 355.6 mm; Optional 550 sheet Tray: 105 x 148 to 215.9 x 355.6 mm <b>Supported (metric):</b> Tray 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, postcards (JIS single and double), envelopes (B5, C5, C6, DL); Tray 2: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), Oficio (216 x 340 mm), 16K, postcards (JIS double); Optional 550 sheet Tray: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), Oficio (216 x 340 mm), 16K, postcards (JIS double); Optional Automatic Duplexer: A4, RA4, Oficio (216 x 340 mm)

<b>Model</b>	<b>HP LaserJet Managed E50145dn</b>
<b>Product number</b>	1PU51A
Media handling	<b>Standard input:</b> 100 sheet multipurpose Tray 1, 550 sheet input Tray 2, automatic duplex printing <b>Standard output:</b> 250 sheet output bin <b>Optional input:</b> Up to 3 optional 550 sheet paper feeders
Media weight	Tray 1: 60 to 199 g/m <sup>2</sup> ; Tray 2, 3: 60 to 120 g/m <sup>2</sup>
Input capacity	<b>Tray 1:</b> Sheets: 100; Transparencies: 50; Envelopes: 10 <b>Tray 2:</b> Sheets: 550 <b>Tray 3:</b> Sheets: 550 <b>Maximum:</b> Up to 2,300 sheets
Output capacity	<b>Standard:</b> Up to 250 sheets Envelopes: Up to 10 envelopes Transparencies: Up to 75 sheets <b>Maximum:</b> Up to 250 sheets
<b>Compatible operating systems</b>	Android, Linux Boss (5.0), Linux Debian (7.0-8.6), Linux Fedora (22-24), Linux Mint (17-17.3) 18, Linux Red Hat Enterprise (6 & 7), Linux SUSE (13.2 & 42.1), Linux Ubuntu (12.04 & 14.04 & 15.1 & 16.04 & 16.10), MacOS High Sierra 10.13, MacOS Mojave 10.14, MacOS X 10.15, Windows 7 32-bit, Windows 7 64-bit, Windows 8.1 32-bit, Windows 8.1 64-bit, Windows 10 32-bit, Windows 10 64-bit, UNIX
<b>Compatible network operating systems</b>	Windows Server 2008 32-bit, Windows Server 2008 64-bit, Windows Server 2008 R2 64-bit, Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2019, Citrix with Microsoft Windows Server 2012 and 2012 R2 Editions and Microsoft Server 2016, Citrix XenApp and XenDesktop 7.x, Citrix with Microsoft Windows Server 2008 R2 SP1 Edition, Citrix XenApp 6.0, Citrix XenApp 6.5, Citrix XenApp and XenDesktop 7.5 (supports Windows Server 2008 R2 SP1 operating system), Citrix XenServer 6.x+, Windows 7 SPI (32/64-bit) recommend iPrint Client v5.99+, Windows 8 (32/64-bit) recommend iPrint Client v5.99+, Windows 8.1 (32/64-bit) recommend iPrint Client v5.99+, Novell / Micro Focus (Novell iPrint has been rebranded to Micro Focusgato <a href="https://www.novell.com/products/iprint/">https://www.novell.com/products/iprint/</a> ), Novell iPrint Appliance Server Platforms supported, Novell iPrint Appliance v1.1, Novell iPrint Clients supported (recommend iPrint v5.94 or newer for all Windows Platforms), Novell Open Enterprise Server 11 / SP1, Services Terminal Server Cluster Server, VMware ESX 4.x+ Workstation 9.x+, XEN on SUSE Linux Enterprise Server (SLES) 11 / SP3
<b>Minimum system requirements</b>	<b>Windows:</b> 2 GB available hard disk space, Internet connection, USB port, Internet browser, for additional OS hardware requirements see <a href="http://www.microsoft.com">http://www.microsoft.com</a> <b>Mac:</b> 2 GB available hard disk space, Internet connection or USB port, OS hardware requirements see <a href="http://www.apple.com">http://www.apple.com</a>
<b>Software included</b>	No software solutions are included in the Box, only on <a href="http://www.hp.com/support">http://www.hp.com/support</a>
<b>Security management</b>	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; Optional HP and 3rd party advanced authentication solutions (e.g.: badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; Hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs,...); Connection Inspector - helps ensure network connections to device are safe; Security management: Compatible with HP JetAdvantage Security Manager; HP Printer Security Plugin for Microsoft SCCM; Device Security Syslog Messages processed and accessible in ArcSight, Splunk, and McAfee(ESM) SIEMs
<b>Printer management</b>	HP Device Toolbox; HP JetAdvantage Security Manager; HP Printer Assistant; HP Web JetAdmin Software; HP SNMP Proxy Agent; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility and Driver Deployment Utility; Managed Printing Administrator)
<b>Dimensions and weight</b>	
Printer dimensions (W x D x H)	<b>Minimum:</b> 418 x 376 x 326 mm; <b>Maximum:</b> 418 x 639 x 326 mm;
Package dimensions (W x D x H)	497 x 398 x 466 mm
Printer weight <sup>6</sup>	11.48 kg
Package weight	14.3 kg
<b>Operating environment</b>	<b>Temperature:</b> 10 to 32.5°C <b>Humidity:</b> 30 to 70% RH
<b>Storage conditions</b>	<b>Temperature:</b> -20 to 40°C
<b>Acoustics<sup>7</sup></b>	<b>Acoustic power emissions:</b> 6.8 B(A) <b>Acoustic pressure emissions:</b> 54 dB(A)
<b>Power<sup>8</sup></b>	<b>Requirements:</b> Input voltage: 220 V to 240 V nominal (+/-10%), 50 - 60 Hz nominal (+/-), 4 A; <b>Consumption:</b> 601 watts (Active Printing), 7.60 watts (Ready), 2.61 watts (Sleep), 0.06 watts (Auto-Off), 0.06 watts (Off), Auto Off/Wake on LAN 0.73 Watt; <b>Typical Electricity Consumption (TEC)<sup>9</sup>:</b> Blue Angel: 1.257 kWh/Week; Energy Star: 1.310 kWh/Week; <b>Power supply type:</b> Built-in 115V or 220V Power Supply;
<b>Certifications<sup>10</sup></b>	CISPR 22:2008 (International) - Class A, CISPR32:2012 (International) - Class A, EN 55032:2012 (EU) - Class A, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010, EMC Directive 2014/30/EU, Issue 6 Class A, other EMC approvals as required by individual countries. Blue Angel; EPEAT® Silver; CECP; ENERGY STAR® qualified <b>Blue Angel compliant</b> Yes; Blue Angel DE-UZ 205
<b>Country of origin</b>	Made in Philippines; Made in Brazil
<b>What's in the box<sup>11</sup></b>	HP LaserJet Managed E50145dn Printer; Regulatory flyer; Unpack flyer; Installation guide; Power cord; Warranty cards; Support flyers/phone number list.
<b>Warranty</b>	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to <a href="http://www.hp.com/support">http://www.hp.com/support</a> to learn about HP award winning service and support options in your region.

## Footnotes

- <sup>1</sup> Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit <http://www.hp.com/go/PrintersThatProtect>. For more information: <http://www.hp.com/go/printersecurityclaims>.
- <sup>2</sup> High Yield Black Original LaserJet Toner Cartridges not included, please purchase separately.
- <sup>3</sup> HP Auto-On/Auto-Off Technology capabilities are subject to printer and settings.
- <sup>4</sup> HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit <http://www.hp.com/go/securitymanager>.
- <sup>5</sup> HP Web Jetadmin is available for download at no additional charge at <http://www.hp.com/go/webjetadmin>.
- <sup>6</sup> Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see <https://www.hpconnected.com>.
- <sup>7</sup> Wireless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at <http://www.hp.com/go/mobileprinting>

## Technical specifications disclaimers

- <sup>1</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- <sup>2</sup> Measured using ISO/IEC 17629. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- <sup>3</sup> Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
- <sup>4</sup> HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- <sup>5</sup> To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit <http://www.hp.com/go/roam>.
- <sup>6</sup> With print cartridges.
- <sup>7</sup> Acoustic values are subject to change. For current information see <http://www.hp.com/support>. Configuration tested: base model, simplex printing, A4 paper at an average of 43 ppm.
- <sup>8</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115 V device.
- <sup>9</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 V device.
- <sup>10</sup> EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.
- <sup>11</sup> EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country



[www.blauer-engel.de/uz205](http://www.blauer-engel.de/uz205)



<http://www.hp.com/uk>

The product could differ from the images shown. © Copyright 2019 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Published in EMEA 4AA7-4660, March 2019

