

HP LaserJet Managed MFP E62655dn



The pinnacle of performance and security

This HP LaserJet MFP with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them – all while protecting your network from attacks with the industry's deepest security.¹



Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. Learn more at: <http://www.hp.com/go/learnaboutsupplies>



Quality laser printing



Low energy



Color touchscreen



Single-pass 2-sided ADF

The world's most secure printing¹

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Help prevent potential attacks and take immediate action with instant notification of security issues.
- Centralise control of your printing environment with HP Web Jetadmin – and help build business efficiency.²
- Give workgroups what they need to succeed. Easily choose and deploy over 180 HP and third-party solutions.

High-speed performance meets energy efficiency

- Speed through tasks and save paper. Print two-sided documents nearly as fast as single-sided.
- This printer wakes up fast and prints your first page in as quickly as 7.9 seconds.³
- This MFP uses exceptionally low amounts of energy thanks to its innovative design and toner technology.⁴
- Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes A6 to legal.

Pages, performance, and protection

- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.

Product walkaround

HP LaserJet Managed MFP E62655dn shown

- 1. Hardware Integration Pocket
- 2. Easy-access USB port
- 3. 500 sheet output tray
- 4. Cartridge door release button (access to toner cartridge)
- 5. Left door (access to toner cartridge)
- 6. Automatic two-sided printing
- 7. 550 sheet input tray 2 supports media sizes up to A4
- 8. 150 sheet ADF with single-pass, two-sided scanning
- 9. 20.3 cm intuitive icon-based colour touchscreen
- 10. Right door (access to print path)
- 11. 100 sheet multipurpose tray 1 supports media sizes up to 216 x 356 mm
- 12. Rear door (access to paper path)
- 13. Host USB port
- 14. Hi-speed USB 2.0 printing port
- 15. Slot for cable-type security lock
- 16. Gigabit Ethernet port



Accessories, Supplies and Support

Supplies	W9004MC HP Black Managed LaserJet Toner (50,000 pages)
Accessories	2EH31A HP MFP Analog Fax Accessory 700
	3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory
	ESK48A HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM
	ESK49A HP 2 GB x32 144-pin (800 MHz) DDR3 SODIMM
	J8031A HP Jetdirect 2900nw Print Server
	J8J89A HP LaserJet 550-sheet Feeder Tray
	J8J90A HP LaserJet Envelope Feeder
	J8J91A HP LaserJet 1x550 Paper Feeder and Cabinet
	J8J92A HP LaserJet 1x550-sheet and 2000-sheet HCI Feeder and Stand
	J8J93A HP LaserJet 3x550-sheet Paper Feeder with Cabinet
Service and Support	U9NM8E HP 3 years Next Business Day with Defective Media Retention for LaserJet E62655 Managed Service
	U9NM9E HP 4 years Next Business Day with Defective Media Retention for LaserJet E62655 Managed Service
	U9NN0E HP 5 years Next Business Day with Defective Media Retention for LaserJet E62655 Managed Service
	U9JNN7PE HP 1 year Post Warranty Next Business Day with Defective Media Retention for LaserJet E62655 Managed Service
	U9JNN8PE HP 2 years Post Warranty Next Business Day with Defective Media Retention for LaserJet E62655 Managed Service

Technical specifications

Model	HP LaserJet Managed MFP E62655dn
Product number	3GY14A
Functions	Print, copy, scan and optional fax
Control panel	20.3 cm (8.0 in) Colour Graphics Display (CGD) with touchscreen; Rotating (adjustable angle) display; Illuminated Home button (for quick return to the Home menu)
Print	
Print technology	Laser
Print speed ¹	Black (A4, normal): Up to 52 ppm; Black (A4, duplex): Up to 50 ipm;
First page out ²	Black (A4, ready): As fast as 5.3 sec; Black (A4, sleep): As fast as 7.9 sec;
Print resolution	Black (best): Up to 1200 x 1200 dpi; Technology: FastRes 1200; 1200 x 1200 dpi;
Monthly duty cycle ³	Up to 450,000 pages A4; Recommended monthly page volume: 5,000 to 40,000
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB
Standard print languages	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts
Print area	Print margins: Top: 4.3 mm, Bottom: 4.3 mm, Left: 4.3 mm, Right: 4.3 mm; Maximum print area : 212 x 352 mm
Duplex printing	Automatic (standard)
Copy	
Copy speed ⁴	Black (A4): Up to 52 cpm
Copier specifications	Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation, booklet, job build, edge-to-edge, job storage, ID Copy, Book Copy, A-to-B Copy (different media sizes); Maximum number of copies: Up to 9999 copies; Reduce/Enlarge: 25 to 400%;
Scan	
Scan speed ⁵	Normal (A4): Up to 69 ppm/111 ipm (black and white), up to 69 ppm/111 ipm (colour); Duplex (A4): Up to 111 ipm (black and white), up to 111 ipm (colour)
Scan file format	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)
Scanner specifications	Scanner type: Flatbed, ADF; Scan input modes: Front panel applications: Copy; E-mail; Save to Network Folder; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility Platform (OXP) applications; HP Scan or user application via TWAIN; Twain version: Version 2.1; Scan size maximum (flatbed, ADF): 216 x 356 mm; Optical scan resolution: Up to 600 dpi
Scanner advanced features	Optimise text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge Erase; Job notification; Blank page suppression; HP Quick Sets
Scannable area	Maximum media size (flatbed): 216 x 356 mm; Minimum media size (ADF): 68 x 148 mm Maximum media size (ADF): 216 x 864 mm
Bit depth/ Grey scale levels	24-bit / 256
Digital sending	Standard: Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to SharePoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Colour Sense; Auto Crop To Content; Compact PDF
Fax	
Fax	No,
Processor speed	1.2 GHz
Connectivity	
Standard	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet; 1 Hardware Integration Pocket
Optional	HP Jetdirect 2900nw Print Server J8031A; HP Jetdirect 3000w NFC/Wireless Accessory J8030A; HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A
Wireless	Optional, enabled with purchase of a wireless hardware accessory. Single band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3000w NFC/Wireless Accessory J8030A, Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A, Dual band Wireless Station functionality available with HP Jetdirect 2900nw Print Server J8031A
Mobile printing capability ⁶	Apple AirPrint™; Google Cloud Print™; HP ePrint; Mopria™ Certified; Roam capable for easy printing
Supported network protocols	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPS, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional).
Hard disk	16 GB EMMC Standard. 500 GB Encrypted HDD Accessory Optional.
Memory	Standard: 1.5 GB (printer); 512 MB (scanner); Maximum: 3 GB MAX memory, when Accessory DIMM is installed
Media handling	
Number of paper trays	Standard: 2; Maximum: 6
Media types	Paper (plain, light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, coloured, rough, heavy rough), monochrome transparency, labels, envelope, heavy envelope
Media size	Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 99 x 148 to 216 x 297 mm; Optional 550 sheet tray: 99 x 148 to 216 x 356 mm; Optional 2,000 sheet tray: custom sizes not supported; Optional 75 envelope feeder: 90 x 148 to 178 x 254 mm Supported (metric): Tray 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, envelopes (B5, C5, C6, DL), Postcard (JIS single and double); Tray 2: A4, A5, A6, B5 (JIS), B6 (JIS), 10 x 15 cm, 16K, Postcard (JIS single and double); Optional 550 sheet tray: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, Postcard (JIS single and double); Optional 2,000 sheet tray: A4; Optional 75 envelope feeder: B5, C5, C6, DL; Automatic Duplexer: A4, A5, RA4, B5 (JIS), Oficio (216 x 340 mm), 16K ADF: Oficio; Executive; Statement; 16K; A4; RA4; A5; A6; B5; B6 (JIS); Postcard (JIS); DPostcard (JIS); 68 x 147 mm to 215.9 x 863.6 mm

Model	HP LaserJet Managed MFP E62655dn
Product number	3GY14A
Media handling	Standard input: 100 sheet multipurpose feeder, 550 sheet input feeder, 150 sheet automatic document feeder Standard output: 500 sheet output feeder, two-sided printing Optional input: Optional 550 sheet paper feeder, 550 sheet feeder with stand and cabinet, 2,000 sheet feeder high capacity input with 550 sheet paper feeder and stand, optional 3 x 550 sheet feeder and stand, optional envelope feeder ADF: Standard, 150 sheets
Media weight	Feeder 1: 60 to 199 g/m ² ; Feeder 2: 60 to 120 g/m ²
Input capacity	Tray 1: Sheets: 100; Transparencies: 50; Envelopes: 10 Tray 2: Sheets: 550; labels: 50 Tray 3: Sheets: 550; labels: 50 Maximum: Up to 3,750 sheets ADF: Standard, 150 sheets
Output capacity	Standard: Up to 500 sheets Envelopes: Up to 75 envelopes Transparencies: Up to 200 sheets Maximum: Up to 500 sheets
Compatible operating systems	Windows Client OS (32/64-bit), Win10, Win8.1, Win 8 Basic, Win8 Pro, Win8 Enterprise, Win8 Enterprise N, Win7 Starter Edition SP1, UPD Win7 Ultimate, Mobile OS, iOS, Android, Mac, Apple® macOS Sierra v10.12, Apple® macOS High Sierra v10.13, Apple® macOS Mojave v10.14, Discrete PCL6 Printer Driver, for more information on the supported operating systems go to http://www.support.hp.com , enter your product name and search, click on User Guides and enter your product name and search for User Guide, search for your (Product Name) User Guide, search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems, for more information on the supported operating systems please see http://www.hp.com/go/upd
Compatible network operating systems	Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Failover Cluster 2008 R2, Failover Cluster 2012 R2, Terminal server 2008 R2, Remote Desktop server 2012 R2, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell iPrint server, Citrix Ready Kit Certification Up to Citrix Server 7.18 for more information see http://www.citrixready.citrix.com , Linux - for more information see http://www.developers.hp.com/hplinuximagingandprinting , Unix - for more information see http://www.hp.com/go/unixmodelscripts , UPD PCL6 / PS Printer Drivers, Supported for Compatible Network Operating systems please see http://www.hp.com/go/upd
Minimum system requirements	Windows: 2 GB available hard disk space, Internet connection, USB port, Internet browser. For additional OS hardware requirements see http://www.microsoft.com Mac: 2 GB available hard disk space, Internet connection or USB port, OS hardware requirements see http://www.apple.com
Software included	No software solutions are included in the Box, only on http://www.hp.com , http://www.123.hp.com
Security management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; Optional HP and 3rd party advanced authentication solutions (e.g.: badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; Hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs, ...); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs
Printer management	HP Printer Assistant; HP Device Toolbox; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)
Dimensions and weight	
Printer dimensions (W x D x H)	Minimum: 512 x 558 x 640 mm; Maximum: 1030 x 808 x 865 mm (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open);
Package dimensions (W x D x H)	700 x 639 x 785 mm
Printer weight ⁷	33.18 kg
Package weight	38 kg
Operating environment	Temperature: 10 to 32.5°C Humidity: 30 to 70% RH
Storage conditions	Temperature: -20 to 40°C
Acoustics ⁸	Acoustic power emissions: 7.0 B(A) Acoustic pressure emissions: 56 dB(A)
Power ⁹	Requirements: Input voltage: 220V to 240V nominal (+/-10%), 50 - 60Hz nominal (+/- 3Hz), 6 A; Consumption: 740 watts (Printing/Copying), 29.0 watts (Ready), 3.3 watts (Sleep); Typical Electricity Consumption (TEC) ¹⁴ : Energy Star: 2.348 kWh/week; Blue Angel: 2.219 kWh/week; Power supply type: Built-in 115V or 220V Power Supply;
Certifications ¹⁰	CISPR 22:2008 (International) - Class A, CISPR32:2012 (International) - Class A, EN 55032:2012 (EU) - Class A, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010, EMC Directive 2014/30/EU, Issue 6 Class A, other EMC approvals as required by individual countries. ENERGY STAR® qualified; EPEAT® Silver; CECP Blue Angel compliant Yes, Blue Angel DE-UZ 205
Country of origin	Made in the Netherlands
What's in the box ¹¹	HP LaserJet Managed MFP E62655dn; HP Original LaserJet Toner Cartridge (toner cartridge installed); Documentation (Hardware Install Guide); Power cord; Fixed-size cassette guides.
Warranty	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.

Footnotes

- ¹ Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit <http://www.hp.com/go/PrintersThatProtect>. For more information: <http://www.hp.com/go/printersecurityclaims>.
- ² HP Web Jetadmin is available for download at no additional charge at <http://www.hp.com/go/webjetadmin>.
- ³ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep.
- ⁴ Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details see <http://www.hp.com/go/Ljclaims>.

Technical specifications disclaimers

- ¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ² Measured using ISO/IEC 17629. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ³ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
- ⁴ First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 29183, Duplex Copy Speed measured using ISO/IEC 24735, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application and document complexity.
- ⁵ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- ⁶ To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit <http://www.hp.com/go/roam>.
- ⁷ With print cartridges.
- ⁸ Configuration tested: base model, simplex printing, A4 paper at an average of 53 ppm.
- ⁹ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.
- ¹⁰ EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.
- ¹¹ Standard cartridges included; yields 11,000 black pages. Average black declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>.



www.blauer-engel.de/uz205



<http://www.hp.com/uk>

The product could differ from the images shown. © Copyright 2019 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Published in EMEA 4AA7-4854, March 2019

